RESOLUTION NO. 18-251

A RESOLUTION AUTHORIZING THE CITY OF PORT ARTHUR SECTION 4A ECONOMIC DEVELOPMENT CORPORATION TO ENGAGE THE SERVICES OF BAER ENGINEERING AND ENVIRONMENTAL CONSULTING, INC. TO CONDUCT PHASE I & II ENVIRONMENTAL ASSESSMENTS OF THE FORMER PORT ARTHUR NEWS BUILDING LOCATED AT 549 4TH STREET IN AN AMOUNT NOT TO EXCEED \$21,800; FUNDS AVAILABLE IN EDC ACCOUNT NO. 120-1429-582.53-00

WHEREAS, the City of Port Arthur Section 4A Economic Development Corporation ("PAEDC") is in the process of acquiring the property at 549 4th Street, formerly the Port Arthur News building, for the purpose of renovating the building to accommodate a Center for Community and Business Development; and

WHEREAS, environmental assessments on the property at 549 4th Street are necessary to determine the feasibility of the renovation project; and

WHEREAS, on March 19, 2018, the PAEDC Board of Directors approved engaging the services of Baer Engineering and Environmental Consulting, Inc. to conduct Phase I & II environmental assessments on the property at 549 4th Street in an amount not to exceed \$21,800 as stated in the estimate attached hereto as Exhibit "A".

NOW THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF PORT ARTHUR, TEXAS:

Section 1. That the facts and opinions in the preamble are true and correct.

Section 2. That the City Council hereby authorizes PAEDC to engage the services of Baer Engineering and Environmental Consulting, Inc. to conduct Phase I and II environmental assessment on the property located at 549 4th Street in an amount not to exceed \$21,800.

Section 3. That a copy of the caption of this Resolution be spread upon the Minutes of the City Council. READ, ADOPTED AND APPROVED on this at a Meeting of the City Council of the City of Port Arthur, Texas, by the following vote: **AYES:** Derrick Freeman, Mayor ATTEST: Sherri Bellard, City Secretary **APPROVED** Floyd Batiste, PAEDC CEO APPROVED AS TO FORM: Guy N. Goodson, PAEDC Attorney

EXHIBIT "A"

Floyd Batiste

From:

Rosemary Wyman <rwyman@baereng.com>

Sent:

Thursday, March 15, 2018 5:56 PM

To: Subject:

Floyd Batiste Re: Proposal

My "worst case" estimate is \$21,800. Broken out as follows:

Task #1 Field Prep	44 000
The state of the s	\$1,600
Field Sampling Plan	
Site-Specific HASP	
Sub-contractor and other coordination	
Task #2 Sampling	\$8,000
Mobilize geologist to site.	
Site sampling points and coordinate utilities/access.	
Log borings and collect samples.	
Catalog building chemicals, collect wipe samples	
Return.	
Field Coordination	
Mileage	
Hotel	
Meals	
Driller	
Job Supplies	
Laboratory Analyses	\$5,700
Soil - RCRA-8	12
Soil - VOCs	8
Soil - TPH	8
Soil - PAH	4
Water - VOCs	5
Water - TPH	4
Water - PAH	2
Wipe Samples - Metals	4
Task #3 Reporting	\$6,500
Prepare Report	
CAD / GIS	
QC Report	
Prepare and Seal Report	
Shipping/Binding/Supplies	
TOTAL	\$21,800

I don't expect it to actually be that much for two reasons:

1. When I put together a detailed proposal I can refine the hours; and

2. It is unlikely that all of the samples and analyses listed will be needed. If, for example, we don't find field evidence of a tank, contamination from the tank, or residual from the solvent spill, we won't need to run those analyses and collecting those samples will be much faster.

I will get you a detailed proposal by next week.

Rosemary

Rosemary Wyman

Rosemary M. Wyman, P.G., CHMM, CPESC

Texas P.G. License No. 751

Executive Vice President, Principal Geologist

Manager of Environmental, Health, and Safety, Services



BAER ENGINEERING & ENVIRONMENTAL CONSULTING, INC.

7756 Northcross Drive, Suite 211 Austin, TX 78757

512.453.3733 Phone

877.283.9597 Facsimile

800.926.9242 Toll Free

www.BaerEng.com

Please consider the environment before printing this email.

[&]quot;This e-mail contains information belonging to Baer Engineering & Environmental Consulting, Inc., for which all rights under law, including copyright, are reserved. If the reader of this message is not the intended recipient, or an agent or employee of the intended recipient, the reader is not authorized, unless specifically stated by the sender, to retain, copy or disclose this message or its contents."