RESOLUTION NO. 20-364

A RESOLUTION AUTHORIZING THE PURCHASE OF KITCHEN EQUIPMENT FROM ISI COMMERCIAL REFRIGERATION, LLC OF HOUSTON, TEXAS BY THE CITY OF PORT ARTHUR SECTION 4A ECONOMIC DEVELOPMENT CORPORATION FOR THE PRESS BUILDING IN THE AMOUNT OF \$578,990.23; FUNDING AVALABLE IN EDC ACCOUNT NO. 120-1429-582.91-00

WHEREAS, the City of Port Arthur Section 4A Economic Development Corporation ("PAEDC") has purchased and is renovating the building at 549 4th Street in Port Arthur, Texas to be known as the Press Building for the purpose of creating a community and business development center; and

WHEREAS, Lamar State College Port Arthur ("LSCPA") intends to lease space within the building for a culinary and hospitality services training program; and

WHEREAS, PAEDC will equip the space with the needed kitchen equipment for the training program; and

WHEREAS, PAEDC has obtained three quotes for comparable kitchen equipment which are attached as Exhibit "A" and recommends the purchase of the requested kitchen equipment from ISI Commercial Refrigeration, LLC of Houston, Texas ("ISI") in the amount of \$578,990.23; and

WHEREAS, at their regular Board meeting of October 5, 2020, the PAEDC Board of Directors approved PAEDC purchasing the kitchen equipment from ISI in the amount of \$578,990.23.

NOW THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF PORT ARTHUR, TEXAS:

Section 1. That the facts and opinions in the preamble are true and correct.

Section 2. That the City Council of the City of Port Arthur authorizes PAEDC to purchase the requested kitchen equipment from ISI Commercial Refrigeration, LLC of Houston, Texas in the amount of \$578,990.23.

Section 3. That a copy of the caption of this Resolution be spread upon the Minutes of

| 1 1 |
|---|
| the City Council. |
| READ, ADOPTED AND APPROVED on this day of A.D., 2020 |
| at a Meeting of the City Council of the City of Port Arthur, Texas, by the following vote: AYES |
| Mayor Battle, Mayor to Ten Moser |
| Councilmembers Scott Janes and Carat, |
| |
| NOES: NOES: |
| - Browlet |
| ATTEST: Thurman Bartie, Mayor |
| Sherri Bellard, City Secretary Make 19 |
| APPROVED: Salusto |
| Floyd Batiste, PAEDC CEO |

APPROVED AS TO FORM:

Guy N. Goodson, PAEDC Attorney

APPROVED AS TO FORM:

(see memo)

Valecia R. Tizeno, City Attorney

APPROVED AS TO AVAILABILITY OF FUNDS:

Kandy Daniel, Interim Finance Director

EXHIBIT "A"



iSi Commercial Retrigeration, LLC

Quote

07/16/2020

To:

Floyd Batiste 501 Procter Street Suite #100

Port Arthur, TX 77640 409-962-1119 (Contact) **Project Code: PAEDCLSC**

Project:

Port Arthur Economic Development Port Arthur Economic Development ISI Commercial Refrigeration, LLC Corp./ Lamar State School/ Revised Chris Wiggins The Press Building 549 4th Street Port Arthur, TX 77640

From:

640 W. 6th St. Houston, TX 77007-2422 7138614455 (346) 237-4223 5508 (Contact)

EFFECTIVE MARCH 16, 2020

Due to the Corona virus outbreak all orders will require 50% down and 50% due minimum 48 hours before delivery.

Prices are valid for 30 days or as long as current manufacturers price list is in effect.

Requested forms of payment are Check, Cash, ACH or EFT.

Payment Terms: Net 30, with approved credit.

| Item | Qty | Description | Sell | Sell Tota |
|------|------|--|------------|-------------|
| 1 | 2 ea | DISPLAY CASE, REFRIGERATED BAKERY | \$9,046.14 | \$18,092.2 |
| | | Federal Industries Model No. CGR3148 | | \$10,032.Zi |
| 5 23 | | Curved Glass Refrigerated Bakery Case, 31.13"W x 35.31"D x 48"H, se | elf | |
| 5 3 | | contained refrigeration with condensate evaporator, adjustable | ••• | |
| | | temperature control, curved thermopane tilt-front glass, 3000K LFD | | |
| | | top light & lighted shelves, (3) tiers of adjustable white wire shelves | 5, | |
| | | glass swinging door, hinged right or left, white interior, tempered | | |
| | | glass ends, choice of laminate with black trim, designed for continuous lineups, 1/3 HP, UL, UL EPH CLASSIFIED, DOE 2017 | | |
| | | Compliant | | |
| | 2 ea | One year parts & labor warranty | | |
| | 2 ea | Self-contained refrigeration standard | | |
| | | 120v/60/1-ph, 1/3 hp, 8.0 amps | | |
| | 2 ea | Five year compressor warranty, standard (for self-contained units only) | | |
| | 2 ea | Laminate standard color - Black | | |
| | | Bistro | | |
| | | | EM TOTAL: | \$18,092.28 |

\$7,481.22

Sell

\$14,962.44

Sell Total

2 ea CONVECTION OVEN, GAS Vulcan Model No. VC44GD

Convection Oven, gas, double-deck, standard depth, solid state controls, electronic spark igniters, 60 minute timer, (5) nickel plated racks per oven, 8" high legs, stainless steel front, top and sides, stainless steel doors with windows, (2) 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®

- 2 ea 1 year limited parts & labor warranty, standard
- 2 ea Natural gas (specify elevation if over 2,000 ft.)
- 2 ea (2) 120v/60/1-ph, 15.4 amps total, (2) 6' cords with plugs, standard
- 2 ea Gas manifold piping included with stacking kit to provide single point gas connection
- 2 st Casters, set of (4) in lieu of standard legs

RATIONAL Model No. B628206.19E

2 kt Dormont 1675KIT48PS Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, (1) pair Safety Set® with hardware mounting options, limited lifetime warranty

3 4 ea COMBI OVEN, GAS

ITEM TOTAL:

\$14,962,44

\$18,322.83

\$73,291.33



(SCC 62NG) SelfCooking Center® Combi Oven/Steamer, natural gas, iCookingControl with 7 modes, HiDensityControl®, iLevelControl, Efficient CareControl, Combi-Steamer with 3 modes, (6) 18"x26" or (12) 12"x20" pan capacity, core temp page a with 5 modes.

(12) 12"x20" pan capacity, core temp probe with 6 point measurement, hand shower with automatic retracting system, ships with (3) grid shelves, ethernet interface, 106,000 BTU, 208v/60/1-ph, 3.7 amps, 7' cord, (dual voltage: retrofitable to 240v/60/1-ph, 3.21 amps), cCSAus, NSF, IPX5, ENERGY STAR®

- 4 ea NOTE: All discounts subject to approval by manufacturer
- 4 ea 2 years parts and labor, 5 years steam generator warranty
- 2 ea CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge
- 2 ea 9999.9951 RCI Rational Certified Installation, new certified installation cost for a countertop model is \$1000 for the first unit (61/62/101/102) (Pricing based on a 50 mile radius, Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 2 ea 9999.9812 Pre-Installation Site Survey, ensures that the site has proper space and connections for gas, electric, drain & water, includes 50 miles (100 miles round trip) from the installer, can only be purchased with a Certified Installation, THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 2 ea 9999.9957 RCI Rational Certified Installation, additional countertop unit installed at same location on same day will be an additional \$800 per countertop unit (61/62/101/102) (Pricing based on a 50 mile radius, Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)

Port Arthur Economic Development Corp./ Lamar State School/ Revised

Port Arthur Economic Development Corp.

Initial:

Page 2 of 23

Sell

Sell Total

- 4 ea 8720.1560US Installation Kit, for gas SCC WE/CMP 101G (120/60/1ph); gas SCC WE/CMP 62G (208-240/60/1ph); gas SCC WE/CMP 61G (120/60/1ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 2 ea 1900.1150US Water Filtration Double Cartridge System, for Combi-Duo models 62/62 or 62/102 or if used for more than (2) units, includes: (1) double head with pressure gauge, (2) R95H filter & (1) filter installation kit (for each additional unit add (1) additional head & additional cartridge. Maximum (4) cartridges)
- 2 ea 9999.8448 RCI Rational Certified Installation, additional installation cost for a Rational Water Filter System is available when purchased with Certified Installation of Rational unit (Pricing based on a 50 mile radius, additional charges may apply. See attached flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 4 ea NOTE: The RATIONAL Water Filtration Systems helps provide consistent high quality water to your RATIONAL SelfCooking Center or your CombiMaster Plus. The patented carbon block technology reduces the effects of sediment, chloramines and chlorine while providing the required flow rates
- 4 ea NOTE: All public water systems using surface water and most ground water systems treat with either chlorine/chloramine or chlorine dioxide (EPA will allow levels as high as 4ppm safe for drinking water, exceeding our maximum level of .2ppm.
- 4 ea NOTE: Chloride concentrations above 80ppm can cause corrision. RATIONAL Water Filtration does NOT reduce chloride
- 4 ea Free Water Testing Kits are available (contact factory for info)
- 4 ea 56.00.210A Cleaner tablet without Phosphorus, for ALL SelfCookingCenter® units since 2004 & CombiMaster® Plus units with article #BXXXXXX or Serial MI series since 4/2017, goes up to 70% further than liquid cleaner, "FREIGHT CLASS 85 LIMITED QUANTITY" (minimum order quantity: 2pcs, unless ordered with a unit)
- 4 ea 56.00.562 Care Tablets, bucket of 150 packets for all SelfCooking Center® units from 10/2008, with CareControl Serial SG, SH or SI series (minimum order quantity: 2pcs, unless ordered with a unit)
- 1 ea 60.71.936 Combi-Duo Stacking kit, bottom unit 62 gas, closed kit, mobile, top unit 62 electric or gas
- 4 ea NOTE: It is unfeasible to stack a 6 pan combi on a 10 pan gas combi unit due to hood clearance and operator safety. A 6 pan combi on a 6 pan combi with 7 shelf hinging racks is recommended
- 2 ea 9999.9959 RCI Rational Certified Installation, new certified installation cost for a Combi-Duo stacked unit is \$200 for the first two units for double-stack (Pricing based on a 50 mile radius, Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE. USA ONLY (NET)
- 12 ea 6010.2101 Gastronorm Grid Shelf, 2/1 size, 25-5/8" x 20-7/8", stainless steel
- 12 ea 6019.1150 CombiFry Basket, 1/1 GN, 12-3/4" x 20-7/8"
- 4 kt Dormont 1675KIT48PS Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, (1) pair Safety Set® with hardware

Port Arthur Economic Development Corp./ Lamar State School/ Revised

Port Arthur Economic Development Corp.

Initial:

Page 3 of 23

Sell

Sell Total

mounting options, limited lifetime warranty

ITEM TOTAL:

\$73,291.33

ea RANGE, 36", 6 OPEN BURNERS Vulcan Model No. 36S-6BN

\$5,716,50

\$11,433.00

Endurance™ Restaurant Range, natural gas, 36", (6) 30,000 BTU burners, lift-off burner heads, standard oven, stainless steel front, sides, backriser, & lift-off high shelf, fully MIG welded chassis, 6" adjustable legs, 215,000 BTU, CSA, NSF

- 2 ea 1 year limited parts & labor warranty, standard
- 2 ea 36RB Salamander Broiler, gas, 36" wide, 50,000 BTU heavy duty burner, dual control, (6) grid positions, removable pan, stainless steel front, top and sides, 3/4" gas connection & pressure regulator
- 2 ea Natural gas (specify elevation if over 2,000 ft.)
- 2 ea CONNECT-CHALL Inter-plumbing gas connection kit (requires rear gas connection on range), for connecting 36RB/36IRB to Endurance or Challenger Series ranges
- 2 ea RSHELF-XL36 Reinforced highshelf, for 36" medium duty ranges (shipped in separate carton)
- 2 ea Stainless steel backriser and lift-off high shelf, standard
- 1 kt Dormont 1675KIT48PS Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, (1) pair Safety Set® with hardware mounting options, limited lifetime warranty

2 ea CONVECTION STEAMER, GAS, BOILERLESS

\$11,433.00

\$16,187.14

ITEM TOTAL:

\$32,374,28



5

AccuTemp Model No. N61201E060 DBL

(QUICK SHIP) Two Connected Evolution™ Boilerless, Convection

Steamers featuring Steam Vector Technology, natural gas, holds (6)

12" x 20" x 2-1/2" deep pans each compartment, Digital Controls, water and drain connection required, warranty NOT voided by water quality, NO water filtration required, 60,000BTU, 120/60/1ph, (2) 5' cords & NEMA 5-15P, ENERGY STAR♥ (Includes stand in configuration of choice)

(THIS ITEM IS SUBJECT TO A 3% CONVENIENCE FEE IF PURCHASED WITH A CREDIT CARD)

- 2 ea 1 year parts & labor warranty, standard
- 2 ea Lifetime service and support guarantee
- 2 ea Alternate voltages available, contact factory for details
- 2 ea Door hinged on right standard
- 2 ea SNH-21-01 Support Stand, for double stacked Steam'N'Hold or Evolution units, Ergo-low mounting height: 8-7/8" lowest unit height, stainless steel, with 5" casters in lieu of standard
- 4 kt Dormont 1650KIT48PS Dormont Blue Hose™ Moveable Gas Connector Kit, 1/2" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, (1) pair Safety Set® with hardware mounting options, limited lifetime warranty

ITEM TOTAL:

\$32,374.28

Port Arthur Economic Development Corp./ Lamar State School/ Revised

Port Arthur Economic Development Corp.

Initial: _____ Page 4 of 23

| | | ISI Commercial Refrigeration, LLC | | 07/16/202 |
|------|--------------|---|------------------|-------------|
| Item | Qty | a cocription | Sell | Sell Total |
| 5.1 | 16 | FLOOR TROUGH Advance Tabco Model No. FFTG-1230 Floor Trough, 30"W x 12"D x 4" deep, with fiberglass grating, stainle steel removable strainer basket, 4" O.D. waste pipe 3"L, pitched towards waste, NSF | \$1,152.61 ss | \$1,152.61 |
| 6 | | | TEM TOTAL: | \$1,152.61 |
| | 2 e | Cleveland Range Model No. SGL30T1 PowerPan™ Tilting Skillet, gas, 30-gallon capacity, bead blasted cooking surface, 10° tilt cooking feature, with easy manual hand tilt, spring-assisted cover with vent, gallon & liter markings, food straine stainless steel construction with open leg frame, CE, NSF, 125,000 BT | | \$29,518.94 |
| | 2 ea | 1-year parts & labor warranty, standard Performance start-up included at customer request after equipment installed (Free Water Quality Check included) (contact Cleveland Said Representative for details) | is es | |
| | 2 ea | Natural Gas | | |
| | 2 ea | 120v/60/1-ph, 1.4 amps, NEMA 5-15P, standard | | |
| | 2 ea | Standard controls, temperature control dial, LED ON indicator light, main power switch with standard and high power setting, standard | | |
| | 2 ea | SKES Single Pantry Braising Pan Filler, with 60" hose | | |
| | 2 ea | FBST1 Faucet Bracket for T1 series floor model skillets | | |
| | 2 ea 2 kt | FSSK Food Strainer, 30 & 40 gallon, for braising pans, standard Dormont 1675KIT48 Dormont Blue Hose™ Moveable Gas Connector Kit 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty | t, | |
| 6.1 | 2 | TI COD TROUGH | M TOTAL: | \$29,518.94 |
| | War- | FLOOR TROUGH Advance Tabco Model No. FFTG-1224 Floor Trough, 24"W x 12"D x 4" deep, with fiberglass grating, stainless steel removable strainer basket, 4" O.D. waste pine 3"L pitched | \$1,205.14 | \$2,410.28 |

steel removable strainer basket, 4" O.D. waste pipe 3"L, pitched towards waste, NSF

4 ft FT-1 Anti-Splash Guard, factory installed (per linear foot)

ITEM TOTAL:

\$2,410.28

| | | garation, and | | U//16/20 |
|------|------|--|-------------|-------------|
| item | Qty | Description | Sell | Sell Total |
| 9 | 1 ea | WALK IN COMBINATION COOLER FREEZER, REMOTE | \$31,568.65 | \$31,568.65 |
| | | Southwest Insulated Panels Model No. 10424396 | ,, | 452,500.05 |
| | | 10'4" x 24'3" x 9'6" Cooler Freezer Combo with Floor, Less Floor | | |
| | | 34" X 76" WALK-IN DOOR, WITH HEATER, SAFETY LATCH W/ CYL. LOCK, | | |
| | | STANDARD HARDWARE, (1) SPRING LOADED HINGE | | |
| | | 34" X 76" WALK-IN DOOR, WITH HEATER, SAFETY LATCH W/ CYL. LOCK. | | |
| | | STANDARD HARDWARE, (1) SPRING LOADED | | |
| | | REFRIGERATION | | |
| | | 1-1/2 HP MOH015X62CFMT MED. TEMP. PREASSEMBLED REMOTE STUB- | | |
| | | OUT SYSTEM, R404A, 208-230V/60/1. 10.8 AMPS (WT 296) | | |
| | | ADT 130AEK BOHN COILS, W/ EC MOTORS 115V/60/1. 1.8 AMPS | | |
| | | 2-1/2 HP MOH025L62CF LOW TEMP. PREASSEMBLED REMOTE STUB-OUT | | |
| | | SYSTEM, R404A, 208-230V/60/1. 16.0 AMPS (WT 274 #) | | |
| | | LET 090BEK BOHN COIL W/ EC MOTOR(S), 208-230/60/1PH 8.8 AMP | | |
| | | Class 1 Urethane, UL Listed 4" Urethane Core, R-32 Insulation Walls, | | |
| | | Tops and Floors | | |
| | | Urethane Rail Construction, NSF Certified. | | |
| | | Southwest Insulated Panels Will Not Be Responsible For Any Taxes, | | |
| | | Permits, Inspection Fees and Licenses. Price Reflects Only Those Items | | |
| | | Listed On Quotation. | | |
| | | Refrigeration and Electrical Hook-up By Others | | |
| | | Refrigeration Warranty: One Year Parts and Five Year Compressor, No | | |
| | | Labor Warranty. | | |
| | | Prices are FOB White Oak, TX - | | |
| | | *** DELIVERY AND INSTALLATION OF PANELS ONLY TO PORT ARTHUR, | | |
| | | TX. *** | | |
| | | ITEM : | TOTAL: | \$31,568.65 |
| | | | | |

Port Arthur Economic Development Corp./ Lamar State School/ Revised

Initial: ____ Page 7 of 23



Scotsman Model No. C0530MA-1

Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 525 lb/24 hours at 70°/50° (380 lb AHRI certified at 90°/70°), medium cube size, AutoAlert™ indicating lights, WaterSense adjustable purge control, one-touch cleaning, harvest assist, front facing removable air filter, unit specific QR code, stainless steel finish, AgION™ antimicrobial protection, 115v/60/1-ph, 15.2 amps, cULus, NSF, CE, engineered and assembled in USA

- 2 ea NOTE: Sale of this product must comply with Scotsman's MSRP Policy; contact your Scotsman representative for details
- 2 ea 3 year parts & labor warranties
- 2 ea 5 year parts & labor warranties on Evaporator
- 2 ea 5 year parts on compressor & condenser
- 2 ea 3M Purification ICE140-S (5616203) 3M[™] Water Filtration Products Water Filter System, with gauge, 14-7/8"H x 5-1/16"D, valve-in-head, standard water, single vessel, 1/4-turn shut off valve, max pressure of 125 psi at 100°F, 0.2 micron, 2.1 gpm flow rate, 25,000 gallons capacity, for cyst, bacteria, sediment, chlorine taste and odor, scale, includes: (1) integral mounting bracket and (1) o-ring seal cartridge filter, 3/8" FNPT connections, NSF (for ice machines -cubers up to 1000lbs, flakers up to 1800lbs: Manitowoc I 0906, 0996, 1002, 1003, 1005, 1072, 1092, Scotsman C 0722, 0830, 1030, Hoshizaki KM 850, 901, Ice-O-Matic ICE 0806, 1006, 1007, Koolaire K 1000; Atosa YR140, YR280, YR450, YR800) (priced per each, packed 2 each per case)
- 2 ea B530S Ice Bin, top-hinged front-opening door, 536 lb application capacity, for top-mounted ice maker, 30" width, metallic finish exterior, toolless removable baffle, polyurethane insulation, polyethylene liner, includes 6" legs, NSF, engineered and assembled in USA
- 2 ea 3M Purification ICE140-S (5616203) 3M™ Water Filtration Products Water Filter System, with gauge, 14-7/8"H x 5-1/16"D, valve-in-head, standard water, single vessel, 1/4-turn shut off valve, max pressure of 125 psi at 100°F, 0.2 micron, 2.1 gpm flow rate, 25,000 gallons capacity, for cyst, bacteria, sediment, chlorine taste and odor, scale, includes: (1) integral mounting bracket and (1) o-ring seal cartridge filter, 3/8" FNPT connections, NSF (for ice machines -cubers up to 1000lbs, flakers up to 1800lbs: Manitowoc I 0906, 0996, 1002, 1003, 1005, 1072, 1092, Scotsman C 0722, 0830, 1030, Hoshizaki KM 850, 901, Ice-O-Matic ICE 0806, 1006, 1007, Koolaire K 1000; Atosa YR140, YR280, YR450, YR800) (priced per each, packed 2 each per case)
- 2 ea 3 year parts & labor warranties

ITEM TOTAL:

\$8,103.38

| 18 | - | | | 07/10/20 |
|------|-------|--|------------|-------------|
| Item | Qty | Description | Sell | Sell Total |
| 11 | 18 e | | \$632.50 | \$11,385.00 |
| | | KitchenAid Commercial Model No. KSM8990DP | | Ç11,363.00 |
| | | KitchenAid® Commercial Stand Mixer, countertop, 8 quart bowl wit | h | |
| 題。 | 9 | lift, PowerCore® technology, commercial attachment power hub. A | SF | |
| 4 | | control panel, stainless steel bowl, dough hook, flat beater, and will | 'p | |
| | , | whip, speed control protection, dark pewter finish, 500 watts, 1.3 H | Ρ, | |
| | 10 - | 120v/60/1-ph, 4' cord, cULus, NSF | | |
| | TO G | a Two year replacement warranty from date of purchase, extends to the | ne | |
| | | purchaser and any succedding owner Commercial Immersion Blende | ers ers | |
| | | operated in the 50 United States, the District of Columbia, & Canada standard | , | |
| | | | | |
| 2 | 18 ea | WORK TABLE, STAINLESS STEEL TOP | TEM TOTAL: | \$11,385.00 |
| | 10 (1 | Advance Tabco Model No. VSS-244 | \$1,359.77 | \$24,475.86 |
| | | | | |
| 1 | | Work Table, 48"W x 24"D, 14 gauge 304 stainless steel top with countertop non drip edge, adjustable stainless steel undershelf, | | |
| 1 | - | stainless steel legs & adjustable bullet feet, NSF | | |
| | | The state of the s | | |
| | 18 st | TA-25S-4 Casters, 5" diameter, set of 4 (2 with brakes) with stainless | | |
| | | steel legs for standard working height of 35-1/2" | | |
| | 36 ea | SS-1520 Deluxe Drawer, 15"W x 20"D x 5" deep drawer pan insert, | | |
| | | stainless steel, with drawer slides | | |
| | 18 pr | TA-90 Drawer Adapter/Non Catalog Tables, specify table width (pair) | | |
| | | | EM TOTAL: | \$24,475.86 |
| | 2 ea | TWO (2) COMPARTMENT SINK | \$2,737.38 | \$5,474.76 |
| | | Advance Tabco Model No. FC-2-2424-24RL | 7-7.57.55 | JJ,474.70 |
| | | Fabricated Sink, 2-compartment, 24" right & left drainboards, bowl | | |
| 1 | 1 | size 24" x 24" x 14" deep, 16 gauge 304 stainless steel, tile edge splash | | |
| | | rolled edge, 8" OC taucet holes, stainless steel legs with adjustable | | |
| | | side cross-bracing, 1" adjustable stainless steel bullet feet, overall 30' | i | |
| | _ | F/B X 96" L/K, NSF | | |
| | | Prerinse faucets | | |
| | 2 ea | K-116 T&S Heavy Duty Pre-Rinse Faucet, 8" OC, splash mounted, | | |
| | | includes: spray valve & hose, riser, wall bracket, overhead spring, lead | • | |
| | 2 | free | | |
| | z ea | K-117-TS Pre-Rinse Add-A-Faucet, 12" swing spout, fits K-115 & K-116, lead free | | |
| | 4 ea | K-40 Lever Drain, all stainless steel, 2" | | |
| | 2 ea | K-4 Support Bracket for lever weets deals has the | | |
| | | K-4 Support Bracket, for lever waste drain handle, (1) support required for each lever drain | | |
| | | ATI | M TOTAL: | \$5,474.76 |
| | | 110 | | 73/4/4./D |

| Jan ann | 04. | | | ,,- | |
|---------|-------|--|------------|---|--|
| Item | Qty | Description | Self | Sell Tota | |
| 14 | 4 ea | THE THE PAST HINGED DOOKS | \$2,395.95 | \$9,583.8 | |
| | | Advance Table 72"W x 24"D, cebiate because I | | | |
| 100 | 1100 | Work Table, 72"W x 24"D, cabinet base with hinged doors, 14 gauge 304 stainless steel top with 5"H backsplash, stainless steel legs with | | | |
| 4 | | adjustable hex feet, NSF | | | |
| | 12 ea | TA-46 Door lock, one required for each hinge door or for each set of sliding doors | | | |
| | | | EM TOTAL: | \$9,583.80 | |
| 5 | 1 ea | | \$840.69 | \$840.69 | |
| | met. | Advance Tabco Model No. DTC-S30-48R | | • | |
| | | Dishtable, clean, straight design, left-to-right operation, 10-1/2"H | | | |
| | KI | backsplash, 3" rolled front & side rims, stainless steel legs & crossrails | , | | |
| | A | 47"W x 30"D x 34"H, 14/304 stainless steel | | | |
| | 1 ea | SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to | | | |
| | | attached document (AQ only) or consult www.advancetabco.com for | | | |
| | | compatibility listing. Certain dish machines require modifications at additional cost not shown here | | | |
| | | | M TOTAL: | \$840.69 | |

Port Arthur Economic Development Corp./ Lamar State School/ Revised

Port Arthur Economic Development Corp.

thermostatic controls, NSF, cULus, Made in USA

1 ea Hatco NOTE: Sale of this product must comply with Hatco's Minimum

Initial: _____ Page 11 of 23

Port Arthur Economic Development Corp./ Lamar State School/ Revised

Port Arthur Economic Development Corp.

10 ea TA-650 WIRING OF DROP INS, DRAWER WARMER AND OUTLETS

Initial: Page 12 of 23 2 ea TA-LOAD100 LOAD CENTER AND LABOR TO A SINGLE POINT CONNECTION IN FIELD PRINT APPROVAL REQUIRED

2 ea WORK TABLE, CABINET BASE OPEN FRONT

ITEM TOTAL:

\$27,493.96

\$22,477.43

\$44,954,86



19

Advance Tabco Model No. EB-SS-3612 Work Table, 144"W x 36"D, open front cabinet base, 14 gauge 304 stainless steel top, stainless steel legs with adjustable hex feet, NSF

- 2 ea True TSSU-48-12-HC~SPEC3 SPEC SERIES® Sandwich/Salad Unit, (12) 1/6 size (4"D) poly pans, SPEC Package 3 includes: stainless steel insulated cover, 11-3/4"D cutting board, (2) full doors with locks, (4) gray PVC coated adjustable wire shelves, digital temperature control and display, stainless steel front, sides & back, stainless steel interior liner & stainless steel floor with coved corners, 5" castors, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 5.8 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA
- 2 ea True Warranty 3 year parts and labor, please visit www.Truemfg.com for specifics
- 4 ea Hatco GRAHL-48D3 Glo-Ray® Infrared Foodwarmer, 48" W, high wattage, tubular metal heater rod with lights, double heater rod housing 3" spacing, aluminum construction, 2440 watts, NSF, cULus, Made in USA
- 1 ea Hatco NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details
- 1 ea Hatco NOTE: Includes 24/7 parts & service assistance, call 800-558-0607
- 2 ea Hatco One year on-site parts & labor warranty, plus one additional year parts only warranty on all Glo-Ray metal sheathed elements
- 2 ea Hatco 120/208v/60/1-ph
- 2 ea Hatco RMB-7J Remote Control Enclosure, (2) toggle switches, (2) indicator lights (for 208 volt only)
- 4 ea Hatco STANDARD Clear Anodized Aluminum (housing), standard (Available at time of purchase only)
- 2 ea Hatco LEADS15 11'-15' Extended Electrical Leads (Available at time of purchase only)
- 4 ea Hatco STANDARD Clear Anodized Aluminum, standard (Available at time of purchase only)
- 4 ea Hatco ADJ ANGLE-D Adjustable angle bracket, (2) pair
- 2 ea Hatco HDW-2B Warming Drawer Unit, Built-in, two drawers, includes (1) standard 6" deep food pan per drawer, stainless steel construction, thermostatic controls, NSF, cULus, Made in USA
- 1 ea Hatco NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details
- 1 ea Hatco NOTE: Includes 24/7 parts & service assistance, call 800-558-0607
- 2 ea Hatco 2-Yr Warranty on drawer warmer heating elements against burnout, standard
- 2 ea Hatco 2-Yr Warranty on drawer slides & rollers against breakage, standard

Port Arthur Economic Development Corp./ Lamar State School/ Revised

Port Arthur Economic Development Corp.

Initial:

Page 13 of 23

- drop-in units not provided by Advance Tabco, consult factory for pricing)
- 6 ft TA-27 Control Panel for heated well, requires top cut out TA-34 (per linear foot)
- 2 ea 120v/60/1-ph, 18.33 amps, direct wired, standard
- 2 ea CU-18-144 Overshelf, single, 144"W x 18"D, 18/430 stainless steel, to span over existing equipment (supplied by others), NSF (must provide equipment model numbers that shelf is going over to clarify mounting provision)
- 4 ea CU-18-60 Overshelf, single, 60"W x 18"D, 18/430 stainless steel, to span over existing equipment (supplied by others), NSF (must provide equipment model numbers that shelf is going over to clarify mounting provision)
- 2 ea NOTE: Must specify flat or "L" bracket & equipment unit is being mounted over - Prints required
- 4 ea TA-60 Modification to reduce length and/or width of shelf, start with

| Item | Otto | Otto | | // |
|------|------|--|-------------|-------------|
| ICIN | Qty | Description | Sell | Sell Total |
| | | next largest size then add "TA-60" to model number | | |
| | 4 ea | TA-71 Heat lamp mounting provision (specify brand & model of hea | at | |
| | _ | lamp) | | |
| | | TA-550 INSTALLATION OF DRAWER WARMER | | |
| | | TA-550 INSTALLATION OF HEAT LAMPS | | |
| | 8 ea | TA-650 WIRING OF DROP INS, DRAWER WARMER AND HEAT LAMPS | | |
| | 2 ea | TA-LOAD100 LOAD CENTER AND LABOR TO A SINGLE POINT | | |
| | | CONNECTION IN FIELD | | |
| | | PRINT APPROVAL REQUIRED | | |
| - | | | ITEM TOTAL: | \$44,954.86 |
| 20 | 1 ea | KITCHEN HOODS | \$59,574.00 | \$59,574.00 |
| | | Accurex Model No. KITCHEN HOODS | • | 700/01 1100 |
| | | KH-1 (112C) 1 Exhaust Only Wall Canopy Hood w/ ASP XBEW-240.00- | S | |
| | | KH-2 (112C Range) 1 Exhaust Only Wall Canopy Hood XBEW-42.00-S | | |
| | | DH-1 (114C Wash) 1 Condensate Hood XD1 - 42.00 - S | | |
| | | KH-3 (111C Range) 1 Exhaust Only Wall Canopy Hood XBEW-42.00-S | | |
| | | KH-4 (111C) 1 Exhaust Only Wall Canopy Hood w/ ASP XBEW-240.00- | S | |
| | | 112C FSS 1 Fire Suppression System FSSC - 20 - 2 | | |
| | | 111C FSS 1 Fire Suppression System FSSC - 20 - 2 | | |
| | | KEF-KH-1 1 Upblast Exhaust Fan XRUB-180-VGD-30 | | |
| | | KEF-KH-1, Roof Curb 1 Roof Curb GPFV | | |
| | | KEF-KH-4 1 Upblast Exhaust Fan XRUB-180-VGD-30 | | |
| | | KEF-KH-4, Roof Curb 1 Roof Curb GPFV | | |
| | | KEF-KH-2 1 Upblast Exhaust Fan XRUD-101HP-VG | | |
| | | KEF-KH-2, Roof Curb 1 Roof Curb GPFV | | |
| | | KEF-KH-3 1 Upblast Exhaust Fan XRUD-101HP-VG | | |
| | i | KEF-KH-3, Roof Curb 1 Roof Curb GPFV | | |
| | | DEF-DH-1 1 Upblast Exhaust Fan XRUD-090-VG DEF-DH-1, Roof Curb 1 Roof Curb GPF | | |
| | | | | |
| | | KSF-KH-1 1 Untempered Supply Fan XKSFB-112-H15-01 KSF-KH-1, Roof Curb 1 Roof Curb TAP-GPI | | |
| | | (SF-KH-4 1 Untempered Supply Fan XKSFB-112-H15-01 | | |
| | i | (SF-KH-4, Roof Curb 1 Roof Curb TAP-GPI | | |
| | | Controls - 112C 1 Variable Volume Fan Control Center Variable Volum | | |
| | , | /ari-Flow | ne | |
| | | Controls - 111C 1 Variable Volume Fan Control Center Variable Volum | | |
| | | /ari-Flow | e | |
| | | п | EM TOTAL: | \$59,574.00 |
| | | • | | 403,074.00 |

| Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 22 1 It COLD STORAGE SHELVING \$7,073.44 Metro Model No. LOT Packed 1 It (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection | |
|--|-------------------|
| Metro Model No. LOT Packed 1 lt (6) Sections; to consist of: 24 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 24 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/15"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 21.1 1 ea DUNNAGE RACK Metro Model No. HP2248PD Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 22 1 lt COLD STORAGE SHELVING Metro Model No. LOT Packed 1 lt (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"Wx 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: | Sell To |
| Metro Model No. LOT Packed 1 It (6) Sections; to consist of: 24 ea MX2460G MetroMax* i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban* antimicrobial product protection, 750 lb. capacity per shelf, NSF 24 ea MX74P Polymer trilobal post (compatible with MetroMax* i, MetroMax* 4, MetroMax* 01, 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban* antimicrobial product protection ITEM TOTAL: 21.1 1 ea DUNNAGE RACK Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 2 1 lt COLD STORAGE SHELVING Metro Model No. LOT Packed 1 lt (10) Sections; to consist of: 24 ea MX2448G MetroMax* i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban* antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax* i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban* antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax* i, MetroMax* 01, 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban* antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK | \$4,594. |
| 24 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 24 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 21.1 1 ea DUNNAGE RACK \$166.06 Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 2 1 lt COLD STORAGE SHELVING \$7,073.44 Metro Model No. LOT Packed 1 lt (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | Ţ .,== |
| stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 24 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 21 1 ea DUNNAGE RACK S166.06 Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 2 1 lt COLD STORAGE SHELVING Metro Model No. LOT Packed 1 lt (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® 0, 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | |
| connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 24 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 1 lt COLD STORAGE SHELVING \$7,073.44 Metro Model No. LOT Packed 1 lt (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: | |
| connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 24 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 1 lt COLD STORAGE SHELVING \$7,073.44 Metro Model No. LOT Packed 1 lt (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: | |
| 24 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolfy, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection TEM TOTAL: | |
| MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 2 1 lt COLD STORAGE SHELVING Metro Model No. LOT Packed 1 lt (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® I, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 1 ea DUNNAGE RACK | |
| dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection TEM TOTAL: | |
| proof all polymer construction with built in Microban® antimicrobial product protection ### TOTAL: 1.1 1 ea DUNNAGE RACK Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF #### TOTAL: 1 It COLD STORAGE SHELVING Metro Model No. LOT Packed 1 It (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® QD, 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ################################### | |
| Product protection TEM TOTAL: | |
| DUNNAGE RACK Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 1 It COLD STORAGE SHELVING Metro Model No. LOT Packed 1 It (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q, 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | |
| 1 1 ea DUNNAGE RACK Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 1 It COLD STORAGE SHELVING Metro Model No. LOT Packed 1 It (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | |
| Metro Model No. HP2248PD Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 1 It COLD STORAGE SHELVING \$7,073.44 Metro Model No. LOT Packed 1 It (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 Ib. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 Ib. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | \$4,594.5 |
| Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF TEM TOTAL: 1 | \$166.0 |
| separate polymer tie for joining racks, corrosion proof polymer construction, NSF ITEM TOTAL: 1 It COLD STORAGE SHELVING | |
| TEM TOTAL: 1 It COLD STORAGE SHELVING S7,073.44 Metro Model No. LOT Packed 1 It (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection TEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | |
| 1 It COLD STORAGE SHELVING Metro Model No. LOT Packed 1 It (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: \$ 16.06 | |
| 1 It COLD STORAGE SHELVING Metro Model No. LOT Packed 1 It (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | \$166.0 |
| Metro Model No. LOT Packed 1 It (10) Sections; to consist of: 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 1 ea DUNNAGE RACK \$166.06 | \$7,073.4 |
| 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | <i>\$1,</i> 075.4 |
| 24 ea MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: \$ 1 ea DUNNAGE RACK | |
| stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | |
| connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 1 ea DUNNAGE RACK | |
| Ib. capacity per shelf, NSF 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | |
| stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | |
| stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 ea DUNNAGE RACK \$166.06 | |
| connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: \$166.06 | |
| 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: \$ 1 ea DUNNAGE RACK \$166.06 | |
| MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 1 ea DUNNAGE RACK \$166.06 | |
| dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 1 ea DUNNAGE RACK \$166.06 | |
| proof all polymer construction with built in Microban® antimicrobial product protection ITEM TOTAL: 1 1 ea DUNNAGE RACK \$166.06 | |
| product protection ITEM TOTAL: \$ 1 1 ea DUNNAGE RACK \$166.06 | |
| .1 1 ea DUNNAGE RACK \$166.06 | |
| .1 1 ea DUNNAGE RACK \$166.06 | \$7,073.44 |
| Metro Model No. HP2248PD | \$166.06 |
| | |
| Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with | |
| separate polymer tie for joining racks, corrosion proof polymer construction, NSF | |
| ITEM TOTAL: | \$166.06 |

| | | | | 07/10/20 |
|------|-----------------------|--|---|----------------------------|
| Item | Qty | Description | Sell | Seli Total |
| 23 | 2 ea | | \$2,888.05 one pan lass cal | \$5,776.10 |
| | | | ITEM TOTAL: | \$5,776.10 |
| 24 | 2 ea 2 ea | Traulsen Model No. RLT132NUT-HHS Spec-Line Freezer, Reach-in, one-section, 21.9 cu. ft., self-contained refrigeration, stainless steel exterior and interior, standard depth, narrow half-height doors, (3) adjustable wire shelves per section, microprocessor controls, unit can be programmed to operate at -10° 1/2 HP, cULus, UL-Sanitation O degrees Fahrenheit holding temperature, standard 115v/60/1-ph, 9.7 amps, with cord & NEMA 5-20P, standard 3 year service/labor, 5 year compressor warranty, standard Door hinged on right, standard | \$8,839.31 | \$17,678.62 \$17,678.62 |
| 25 | 2 ea 2 ea 12 ea | | \$11,478.41 | \$22,956.82 |
| | | | EM TOTAL: | \$22,956.82 |

| | _ | 3 3 3 3 3 3 3 3 3 3 | | 07/10/20 |
|--|-------|--|------------|------------|
| Item | Qty | Description | Self | Sell Total |
| 26 | 4 e | a PLASTIC SHELVING | \$671.70 | \$2,686.80 |
| | | Metro Model No. MX2460G | • | . –, |
| | | MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless stee | f | |
| A STATE OF THE PARTY OF THE PAR | | corners, removable open grid polymer mats, (4) wedge connectors, | | |
| | | built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF | 1 | |
| | 4 0 | MX2454G MetroMax® i Shelf, 54"W x 24"D, reinforced type 304 | | |
| | | stainless steel corners, removable open grid polymer mats, (4) wed | | |
| | | connectors, built in Microban® antimicrobial product protection, 75 | ge 1 | |
| | | lb. capacity per shelf, NSF | , | |
| | 4 ea | MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 | | |
| | | stainless steel corners, removable open grid polymer mats, (4) wed | ge | |
| | | connectors, built in Microban® antimicrobial product protection, 100 | Ю | |
| | | lb. capacity per shelf, NSF | | |
| | 4 ea | MX2436G MetroMax® i Shelf, 36"W x 24"D, reinforced type 304 | | |
| | | stainless steel corners, removable open grid polymer mats, (4) wed | ge | |
| | | connectors, built in Microban® antimicrobial product protection, 100 | 0 | |
| | 16 ea | Ib. capacity per shelf, NSF | | |
| | 10 60 | MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a | | |
| | | dolly, adjustable leveling foot, grooved on 1" increments, corrosion | | |
| | | proof all polymer construction with built in Microban® antimicrobial | | |
| | | product protection | | |
| | | Dry Storage | | |
| | | | TEM TOTAL: | \$2,686.80 |
| 27 | 1 ea | WORK TABLE, BAKERS TOP | \$2,515.10 | \$2,515.10 |
| | | Advance Tabco Model No. TBS-304 | | • |
| | | Bakers Top Work Table, 48"W x 30"D, 1-3/4" thick wood top with 4" | | |
| H | -44 | splash at rear & both sides, stainless steel legs with cross rails, | | |
| 1 | | stainless steel adjustable hex foot, NSF | | |
| | 3 ea | Cambro IBS20148 Ingredient Bin, mobile, 21 gallon capacity, molded | | |
| | | polyethylene with sliding cover, S-hook on front (scoop NOT | | |
| | | included), (4) 3" heavy duty casters (2 front swivel, 2 fixed), with bin | | |
| | _ | securely attached to base plate, white with clear cover, NSF | | |
| | 3 ea | Cambro SCP24CW135 Camwear® Scoop, 24 oz., polycarbonate, clear, NSF | | |
| | 1 ea | TA-47 Shelf Mounting Bracket, on existing table (per shelf) | | |
| | | 12" wide | | |
| | | 15" wide | | |
| | 1 ea | ODS-15-48R Overshelf, table mounted, double, 48"W x 15"D, 1"H rear | | |
| | | up-turn, 18 gauge 430 stainless steel (non-adjustable, old style) | | |
| | 1 ea | Rear of table shelf location, 1" back splash is provided on table with | | |
| | | splash | | |
| | | ,ITE | M TOTAL: | \$2,515.10 |

ITEM TOTAL:

\$3,570,15

| Item | 1 Qty | Description | Sell | Sell Total |
|------|--------------|---|------------|------------|
| 32 | 1e | True Manufacturing Co., Inc. Model No. TUC-27-ADA-HC~SPEC3 SPEC SERIES® Undercounter Refrigerator, 34" working height, 33 - 38°F, SPEC Package 3 includes: 16-ga. stainless steel top, (1) heavy-duty stainless steel door, steel handle, door lock standard, (2) PVC coated adjustable wire shelves, electronic temperature control with digital temperature display, stainless steel sides & back, stainless steel interior, 3" castors, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1- ph, 2.0 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, ADA | \$2,044.13 | \$2,044.13 |
| | 1 00 | Compliant, Made in USA | | |
| | | Self-contained refrigeration standard Warranty - 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics (updated warranty sheet pending from True) | | |
| | 1 ea | Warranty - 3 year parts and labor, please visit www.Truemfg.com for specifics | | |
| | 1 ea | 3" castors, standard Bistro Undercounter | | |
| | | | I TOTAL: | \$2,044.13 |
| 33 | 1 ea | ICED TEA BREWER BUNN Model No. 36700.0013 36700.0013 TB3Q Iced Tea Brewer, 3-gallon capacity single brewer, 26.7 gallon/hour, SplashGard® funnel, Quickbrew system (dispensers sold separately), 120v/60/1-ph, 1730w, 14.4amps, NEMA 5-15P, cord attached, UL, NSF | \$821.33 | \$821.33 |
| | 1 ea | Equipment discount category net prices must be rounded to the nearest dollar | | |
| | 1 e a | 34100.0002 34100.0002 TDO-4 Iced Tea/Coffee Dispenser, cylinder style, 4 gallon capacity (15.1 litres), sump dispense valve, oval shape brew-through plastic lid, faucet handles are labeled sweetened & unsweetened, side handles, NSF | | |
| | | 39000.0007 39000.0007 EQHP-TEA Easy Clear® Water Softening Filter, high performance, 4,350 grains of hardness reduction, reduced scale forming minerals, 1 gpm flow rate, 5 micron, integrated carbon block, quick connect, includes: head assembly, integral mounting bracket & single cartridge filter | | |
| | | ITEM | TOTAL: | \$821.33 |

will be added to the invoice; fees subject to change; contact factory for addition information.

1 ea A 120v/60/1-ph

2 ea 9503SD020-P Automatic Door Switch, plunger type, activates air door when door opens, single phase only & max. amp draw of 20 amps

1 ea White powder coat exterior finish standard

| ITEM TOTAL: | \$1,367.45 |
|------------------|-------------------|
| Merchandise | \$547,854.23 |
| Delivery & Set n | \$31,136.00 |
| Place | \$31,130.00 |
| Total | \$578,990,23 |

Proposal/Contract

This Agreement is by and between ISI Commercial Refrigeration, LLC. (ISI) and (Buyer) as of the date shown below. Unless otherwise noted all merchandise shall be covered by the individual manufacturer's standard warranty. This Proposal/Contract does not include any special licenses, permits, or fees that may or may not be required. Buyer is responsible for obtaining any and all approvals and permits from the Health Department, Building Department, Fire Marshal, etc. All equipment is supplied with standard components and is ready for plumbing and electrical connections by other contractors.

Special ordered and not stocking equipment is not returnable. Cancellation of equipment in process of being built by the factory will result in a cancellation fee determined by the factory.

All quotations, terms and financial arrangements are subject to approval of the Credit Department of ISI. The Buyer grants to ISI a security interest in the items specified in this Proposal/Contract until such items have been fully paid for by the Buyer. Buyer hereby appoints ISI as Buyer's agent and grants ISI limited Power of Attorney for the purpose of executing any document necessary to perfect the security interest granted in this Proposal/Contract.

Port Arthur Economic Development Corp./ Lamar State School/ Revised

Initial: _ Page 22 of 23 ISI is not responsible for wall blocking, running drains or making hard wire connections. All electrical and plumbing connections are the responsibility of other trades. All roof/wall penetrations and sealing are the responsibility of other trades. All plumbing connections, back flow preventers, pressure regulators and flushing of gas and water lines are the responsibility of other trades. All electrical connections including disconnects, shunt trip breakers, micro switches, motor starters, switches, etc., are excluded from this quote. Each piece of equipment has standard and optional equipment. Only the standard equipment is provided unless options are listed.

| I understand, agree to, and accept the above Accepted by: | terms and conditions. Date: |
|---|--|
| Printed Name: | |
| AUSTIN: TACLB52729R / BEAUMONT: | censing and Regulation, P.O. Box 12157, Austin, 512-463-6599, www.tdlr.texas.gov TACLA35912C/DALLAS: TALCB16860C/CACLA00102227C |
| ceptance: | Date: |
| nted Name: | |
| ject Grand Total: \$578,990.23 | |



Quote

07/10/2020

www.KommercialKitchens.com 800-962-1555

2510 I-10 Beaument, TX 77703

Ph: (409) 769-1199 Fax: (409) 769-8800

Project:

From:

Port Arthur EDC - Education Kitchen Kommercial Kitchens

lav

List Equipment

Jay Odom 2510 IH 10

Beaumont, TX 77703

409-769-1199

(409)769-1199 (Contact)

Project Code: 6335
Item Qty

Description

BUDGETED PRICING IS "ALL-OR-NONE" FOR DELIVERY AND SET-IN PLACE ONLY. ALL INSTALLATION AND FINAL CONNECTIONS TO BE COMPLETED BY THE GENERAL CONTRACTOR, UNLESS OTHERWISE NOTED.

PRICING GOOD UNTIL 12/31/2020, AND SUBJECT TO A 5% INCREASE ON 01/01/2021 AND THEN EVERY 6 MONTHS THEREAFTER.

K1

2 ea DISPLAY CASE, REFRIGERATED BAKERY

Federal Industries Model No. CGR3148



Curved Glass Refrigerated Bakery Case, 31.13"W x 35.31"D x 48"H, self contained refrigeration with condensate evaporator, adjustable temperature control, curved thermopane tilt-front glass, 3000K LED top light & lighted shelves, (3) tiers of adjustable white wire shelves, glass swinging door, hinged right or left, white interior, tempered glass ends, choice of laminate with black trim, designed for continuous lineups, 1/3 HP, UL, UL EPH CLASSIFIED, DOE 2017 Compliant

- 2 ea One year parts & labor warranty
- 2 ea Self-contained refrigeration standard
- 2 ea 120v/60/1-ph, 1/3 hp, 8.0 amps
- 2 ea Five year compressor warranty, standard (for self-contained units only)
- 2 ea Laminate standard color Black

K2

2 ea CONVECTION OVEN, GAS



Vulcan Model No. VC44GD

Convection Oven, gas, double-deck, standard depth, solid state controls, electronic spark igniters, 60 minute timer, (5) nickel plated racks per oven, 8" high legs, stainless steel front, top and sides, stainless steel doors with windows, (2) 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR®

- 2 ea 1 year limited parts & labor warranty, standard
- 2 ea Natural gas (specify elevation if over 2,000 ft.)

Port Arthur EDC - Education Kitchen List Equipment

Initial: ______ Page 1 of 19

Item Qty

Description

- 2 ea (2) 120v/60/1-ph, 15.4 amps total, (2) 6' cords with plugs, standard
- 2 ea Gas manifold piping included with stacking kit to provide single point gas connection
- 2 st Casters, set of (4) in lieu of standard legs
- 2 kt Dormont 1675KITB48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Standard Snap™ QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty

КЗ

4 ea COMBIOVEN, GAS





(SCC 62NG) SelfCooking Center® Combi Oven/Steamer, natural gas, iCookingControl with 7 modes, HiDensityControl®, iLevelControl, Efficient CareControl, Combi-Steamer with 3 modes, (6) 18"x26" or (12) 12"x20" pan capacity, core temp probe with 6 point measurement, hand shower with automatic retracting system, ships with (3) grid shelves, ethernet interface, 106,000 BTU, 208v/60/1-ph, 3.7 amps, 7" cord, (dual voltage: retrofitable to 240v/60/1-ph, 3.21 amps), cCSAus, NSF, IPX5, ENERGY STAR®

- 4 ea NOTE: All discounts subject to approval by manufacturer
- 4 ea 2 years parts and labor, 5 years steam generator warranty
- 2 ea CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 hours/location specialized application training with personnel, no charge
- 2 ea 9999.9951 RCI Rational Certified Installation, new certified installation cost for a countertop model is \$1000 for the first unit (61/62/101/102) (Pricing based on a 50 mile radius, Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 2 ea 9999.9812 Pre-Installation Site Survey, ensures that the site has proper space and connections for gas, electric, drain & water, includes 50 miles (100 miles round trip) from the installer, can only be purchased with a Certified Installation, THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 2 ea 9999.9957 RCI Rational Certified Installation, additional countertop unit installed at same location on same day will be an additional \$800 per countertop unit (61/62/101/102) (Pricing based on a 50 mile radius, Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 4 ea 8720.1560US Installation Kit, for gas SCC WE/CMP 101G (120/60/1ph); gas SCC WE/CMP 62G (208-240/60/1ph); gas SCC WE/CMP 61G (120/60/1ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 2 ea 1900.1150US Water Filtration Double Cartridge System, for Combi-Duo models 62/62 or 62/102 or if used for more than 2 units includes: (1) double head with pressure gauge, (2) R95H filter & (1) filter installation kit (for each additional unit add (1) additional head & additional cartridge. Maximum (4) cartridges)
- 2 ea 9999.8448 RCI Rational Certified Installation, additional installation cost for a Rational Water Filter System is available when purchased

Port Arthur EDC - Education Kitchen List Equipment

Initial: _____ Page 2 of 19

- with Certified Installation of Rational unit (Pricing based on a 50 mile radius, additional charges may apply. See attached flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET)
- 4 ea NOTE: The RATIONAL Water Filtration Systems helps provide consistent high quality water to your RATIONAL SelfCooking Center or your CombiMaster Plus. The patented carbon block technology reduces the effects of sediment, chloramines and chlorine while providing the required flow rates
- 4 ea NOTE: All public water systems using surface water and most ground water systems treat with either chlorine/chloramine or chlorine dioxide (EPA will allow levels as high as 4ppm safe for drinking water, exceeding our maximum level of .2ppm.
- 4 ea NOTE: Chloride concentrations above 80ppm can cause corrision. RATIONAL Water Filtration does NOT reduce chloride
- 4 ea Free Water Testing Kits are available (contact factory for info)
- 4 ea 56.00.210A Cleaner tablet without Phosphorus, for ALL SelfCookingCenter® units since 2004 & CombiMaster® Plus units with article #BXXXXXX or Serial MI series since 4/2017, goes up to 70% further than liquid cleaner, "FREIGHT CLASS 85 LIMITED QUANTITY" (minimum order quantity: 2pcs, unless ordered with a unit)
- 4 ea 56.00.562 Care Tablets, bucket of 150 packets for all SelfCooking Center® units from 10/2008, with CareControl Serial SG, SH or SI series (minimum order quantity: 2pcs, unless ordered with a unit)
- 1 ea 60.71.936 Combi-Duo Stacking kit, bottom unit 62 gas, closed kit, mobile, top unit 62 electric or gas
- 4 ea NOTE: It is unfeasible to stack a 6 pan combi on a 10 pan gas combi unit due to hood clearance and operator safety. A 6 pan combi on a 6 pan combi with 7 shelf hinging racks is recommended
- 2 ea 9999.9959 RCI Rational Certified Installation, new certified installation cost for a Combi-Duo stacked unit is \$200 for the first two units for double-stack (Pricing based on a 50 mile radius, Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE. USA ONLY (NET)
- 12 ea 6010.2101 Gastronorm Grid Shelf, 2/1 size, 25-5/8" x 20-7/8", stainless steel
- 12 ea 6019.1150 CombiFry Basket, 1/1 GN, 12-3/4" x 20-7/8"
- 4 kt Dormont 1675KITB48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Standard Snap™ QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty

K4

2 ea RANGE, 36", 6 OPEN BURNERS



Vulcan Model No. 36S-6BN Endurance™ Restaurant Range, natural gas, 36", (6) 30,000 BTU burners, lift-off burner heads, standard oven, stainless steel front, sides, backriser, & lift-off high shelf, fully MIG welded chassis, 6" adjustable legs, 215,000 BTU, CSA, NSF

2 ea 1 year limited parts & labor warranty, standard

Port Arthur EDC - Education Kitchen List Equipment

Initial: ___

Item

Qty

Description

- 2 ea 36RB Salamander Broiler, gas, 36" wide, 50,000 BTU heavy duty burner, dual control, (6) grid positions, removable pan, stainless steel front, top and sides, 3/4" gas connection & pressure regulator
- 2 ea Natural gas (specify elevation if over 2,000 ft.)
- 2 ea CONNECT-CHALL Inter-plumbing gas connection kit (requires rear gas connection on range), for connecting 36RB/36IRB to Endurance or **Challenger Series ranges**
- 2 ea NOTE: Reinforced shelf required for salamander
- 2 ea Stainless steel backriser and lift-off high shelf, standard
- 2 kt Dormont 1675KITB48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Standard Snap™ QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty

K5

2 ea CONVECTION STEAMER, GAS, BOILERLESS



AccuTemp Model No. N61201E060 DBL (QUICK SHIP) Two Connected Evolution™ Boilerless, Convection Steamers featuring Steam Vector Technology, natural gas, holds (6) 12" x 20" x 2-1/2" deep pans each compartment, Digital Controls, water and drain connection required, warranty NOT voided by water quality, NO water filtration required, 60,000BTU, 120/60/1ph, (2) 5' cords & NEMA 5-15P, ENERGY STAR® (Includes stand in configuration of choice) ***(THIS ITEM IS SUBJECT TO A 3% CONVENIENCE FEE IF PURCHASED WITH A CREDIT CARD)***

- 2 ea 1 year parts & labor warranty, standard
- 2 ea Lifetime service and support guarantee
- 2 ea Alternate voltages available, contact factory for details
- 2 ea Door hinged on right standard
- 2 ea SNH-21-01 Support Stand, for double stacked Steam'N'Hold or Evolution units, Ergo-low mounting height: 8-7/8" lowest unit height, stainless steel, with 5" casters in lieu of standard
- 4 ea Krowne M5048K Royal Series Moveable Gas Connection Kit, 1/2" I.D., 48" long, stainless steel corrugated tubing & radial wrap with green antimicrobial PVC coating, quick disconnect, (1) full port gas valve, (2) 90° elbows, restraining cable with mounting hardware, 68,000 BTU/hr minimum flow capacity

K5.1 1 ea FLOOR TROUGH

Advance Tabco Model No. FFTG-1230



Floor Trough, 30"W x 12"D x 4" deep, with fiberglass grating, stainless steel removable strainer basket, 4" O.D. waste pipe 3"L, pitched towards waste, NSF

K6

2 ea TILTING SKILLET BRAISING PAN, GAS



Cleveland Range Model No. SGL30T1

PowerPan™ Tilting Skillet, gas, 30-gallon capacity, bead blasted cooking surface, 10° tilt cooking feature, with easy manual hand tilt, spring-assisted cover with vent, gallon & liter markings, food strainer, stainless steel construction with open leg frame, CE, NSF, 125,000 BTU

- 2 ea 1-year parts & labor warranty, standard
- 2 ea Performance start-up included at customer request after equipment is installed (Free Water Quality Check included) (contact Cleveland Sales Representative for details)
- 2 ea Natural Gas
- 2 ea 120v/60/1-ph, 1.4 amps, NEMA 5-15P, standard
- 2 ea Standard controls, temperature control dial, LED ON indicator light, main power switch with standard and high power setting, standard
- 2 ea SKFS Single Pantry Braising Pan Filler, with 60" hose
- 2 ea FBST1 Faucet Bracket for T1 series floor model skillets
- 2 ea FSSK Food Strainer, 30 & 40 gallon, for braising pans, standard
- 2 kt Dormont 1675KITB48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Standard Snap™ QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty

K6.1 2 ea FLOOR TROUGH



Advance Tabco Model No. FFTG-1224

Floor Trough, 24"W x 12"D x 4" deep, with fiberglass grating, stainless steel removable strainer basket, 4" O.D. waste pipe 3"L, pitched towards waste, NSF

4 ft FT-1 Anti-Splash Guard, factory installed (per linear foot)

K7

2 ea GAS FLOOR FRYER



Vulcan Model No. 1TR45AF

PowerFry3™ Fryer, gas, high efficiency, 15-1/2" W, free-standing, 45-50 lb. capacity, solid state analog knob control with melt cycles, ThreePass™ heat transfer system, electronic ignition, KleenScreen PLUS® filtration system, twin baskets, stainless steel cabinet and fry tank, adjustable casters (2 swivel locking & 2 non-locking), 70,000 BTU, CSA, NSF, ENERGY STAR®

- 2 ea 1 year limited parts & labor warranty, standard
- 2 ea 10 year limited tank warranty, standard
- 2 ea Natural gas (specify elevation if over 10,000 ft. contact factory)
- 2 ea 120v/60/1-ph, with cord & plug, standard
- 2 ea FRYMATE VX15 Frymate™ Holding Station, free standing or add-on unit, 15-1/2" wide, 30-1/8" depth, stainless steel cabinet base, stainless steel top drain section with removable grease collector, set of 4 casters (2 locking), connecting strip and hardware included, (for 35-65 lb capacity gas or electric fryers)
- 2 ea COVER-TANK Stainless steel tank cover/work surface top, for all 35 & 45 lb. gas fryers & Frymate VX15

Kommercial Kitchens Item Qty Description 2 ea CONNECT-KITVULPF Connecting Kit, securing (2) fryers together with grease strip, brackets and hardware included 2 kt Dormont 1675KITB48 Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 48" long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) Standard Snap™ QD, (1) full port valve, (2) 90° elbows, (1) Snap'N Go, coiled restraining cable with hardware, 180,000 BTU/hr minimum flow capacity, limited lifetime warranty **K8** 1 ea DISHWASHER, DOOR TYPE Hobart Model No. AM15T+BUILDUP AM Select Tall Dishwasher, door type, 27" H opening, convertible high/low temperature sanitizing, 58-65 racks/hour capacity, includes pan rack to accommodate 18" x 26" sheet pans or a 60 quart mixing bowl. straight-thru/corner installation, stainless steel finish, ENERGY STAR® 1 ea SPLASH-PNL15T Splash panel kit, for AM15T (FOR CORNER INSTALLATIONS) 1 ea Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA 1 ea AM15T-ELEOCD 480v/60/3-ph 1 ea AM15T-BSTYES With electric booster 1 ea AM15T-HTEELE Electric heat 1 ea SINGLE-POINT Single Point Electrical Connection (factory installed, 3 phase booster machines only) 2 ea DISHRAK-PEG20 Peg rack 2 ea DISHRAK-COM20 Combination rack 2 ea RACK-6PAN 6 pan rack to hold sheet pans (Tall only) **K9** 1 ea WALK IN COMBINATION COOLER FREEZER, REMOTE Kolpak Model No. KF8-1024-C14-F10 Walk-In Combo, Indoor Kold-Front, 9'-6" H, 10'-0" W, 23'-1" L, with Era floor, medium temp (+35F) & low temp (-10F) with pre-charged indoor/outdoor remote unit, 26 gauge embossed galvalume interior & exterior, .10 smooth aluminum Era floor, 2" dial thermometer, NSF, cUL, UL 1 ea NOTE: Units shipping to California, Washington, or Oregon are likely Seismic and require a Seismic Kit; seismic floorless units are not available for QuickShip or RapidShip lead time. Contact the factory for lead time. 1 ea KOLDFRONT COMBO DOOR LOCATION SHEET MUST BE COMPLETED AND SENT WITH PURCHASE ORDER TO FACTORY - sheet located in AutoQuotes documents section

1 ea 5 yr compressor warranty (NET)

1 ea R404a refrigerant, standard

- 1 ea 34" X 78" Door, std. with Interior/Exterior 36" high Alum DTP kickplates
- 1 ea Door hinge left add "L" to end of model no.
- 1 ea Freight Zone: 6 (AR, FL, LA, OK, TX) (NET)
- 1 ea Freight Destination (TX) Texas
- 1 ea KF8-1018-C10-F8 Walk-In Combo, Indoor Kold-Front, 9'-6" H, 10'-0" W,

Port Arthur EDC - Education Kitchen List Equipment

Initial: _ Page 6 of 19

- 17'-4" L, with Era floor, medium temp (+35F) & low temp (-10F) with pre-charged indoor/outdoor remote unit, 26 gauge embossed galvalume interior & exterior, .10 smooth aluminum Era floor, 2" dial thermometer, NSF, cUL, UL
- 1 ea NOTE: Units shipping to California, Washington, or Oregon are likely Seismic and require a Seismic Kit; seismic floorless units are not available for QuickShip or RapidShip lead time. Contact the factory for lead time.
- 1 ea KOLDFRONT COMBO DOOR LOCATION SHEET MUST BE COMPLETED AND SENT WITH PURCHASE ORDER TO FACTORY sheet located in AutoQuotes documents section
- 1 ea R404a refrigerant, standard
- 1 ea 34" X 78" Door, std. with Interior/Exterior 36" high Alum DTP kickplates
- 1 ea Door hinge right add "R" to end of model no.
- 1 ea Kason 1809 LED compartment Light (NET)
- 1 ea 55006700/550060699 Uncharged Lines, 40', 3/8" x 7/8", No Quick Connects & Uncharged Lines, 40', 3/8" x 5/8", No Quick Connects (NET)
- 1 ea Freight Zone: 6 (AR, FL, LA, OK, TX) (NET)
- 1 ea Freight Destination (TX) Texas

 Delivery and installation of panels only.

All electrical, refrigeration and plumbing to be completed by General Contractor

General Contractor to supply 8" deep pit for walk-ins and pour 4" of cement over insulated floor panels.

K10 2 ea ICE MAKER, CUBE-STYLE

Scotsman Model No. C0530MA-1

Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 525 lb/24 hours at 70°/50° (380 lb AHRI certified at 90°/70°), medium cube size, AutoAlert™ indicating lights, WaterSense adjustable purge control, one-touch cleaning, harvest assist, front facing removable air filter, unit specific QR code, stainless steel finish, AgION™ antimicrobial protection, 115v/60/1-ph, 15.2 amps, cULus, NSF, CE, engineered and assembled in USA

- 2 ea NOTE: Sale of this product must comply with Scotsman's MSRP Policy; contact your Scotsman representative for details
- 2 ea 3 year parts & labor warranties
- 2 ea 5 year parts & labor warranties on Evaporator
- 2 ea 5 year parts on compressor & condenser
- 2 ea B530S Ice Bin, top-hinged front-opening door, 536 lb application capacity, for top-mounted ice maker, 30" width, metallic finish exterior, toolless removable baffle, polyurethane insulation, polyethylene liner, includes 6" legs, NSF, engineered and assembled in USA
- 2 ea 3 year parts & labor warranties
- 2 ea 3M Purification ICE125-S (5616004) 3M™ Water Filtration Products Water Filter System, with gauge, 17"H x 4.5"D, valve-in-head, high turbidity water, single vessel, 1/4-turn shut off valve, max pressure of

Port Arthur EDC - Education Kitchen List Equipment

Initial: ____

Page 7 of 19

125 psi at 100°F, 1 micron, 1.5 gpm flow rate, 10,000 gallons capacity, for sediment, chlorine taste & odor, scale, includes: (1) integral mounting bracket and (1) o-ring seal cartridge filter, 3/8" FNPT connections, NSF (for ice machines - cubers up to 750lbs, flakers up to 1200lbs: Manitowoc I 0302, 0303, 0304, 0305, 0322, 0323, 0324, 0325, 0452, 0453, 0454, 0455, 0502, 0503, 0504, 0505, 0522, 0523, 0523, 0524, 0525, 0594, 0592, 0606, 0696, Scotsman C 0322, 0330, 0522, 0530, 0630, Hoshizaki IM500, KM 250, 320, 351, 410, 450, 451, 515, 600, 631, 650, Ice-O-Matic ICE 0250, 0305, 0320, 0400, 0406, 0500, 0506, 0520, 0525, 0605, 0606, Koolaire K0250, 0350, 0420, 0500, 0600) (priced per each, packed 6 each per case)

K11

18 ea PLANETARY MIXER



KitchenAid Commercial Model No. KSM8990DP

KitchenAid® Commercial Stand Mixer, countertop, 8 quart bowl with lift, PowerCore® technology, commercial attachment power hub, ASF control panel, stainless steel bowl, dough hook, flat beater, and wire whip, speed control protection, dark pewter finish, 500 watts, 1.3 HP, 120v/60/1-ph, 4' cord, cULus, NSF

18 ea Two year replacement warranty from date of purchase, extends to the purchaser and any succedding owner Commercial Immersion Blenders operated in the 50 United States, the District of Columbia, & Canada, standard

K12

18 ea WORK TABLE, STAINLESS STEEL TOP





Work Table, 48"W x 24"D, 14 gauge 304 stainless steel top with countertop non drip edge, adjustable stainless steel undershelf, stainless steel legs & adjustable bullet feet, NSF

- 18 st TA-25S-4 Casters, 5" diameter, set of 4 (2 with brakes) with stainless steel legs for standard working height of 35-1/2"
- 36 ea SS-1520 Deluxe Drawer, 15"W x 20"D x 5" deep drawer pan insert, stainless steel, with drawer slides
- 18 pr TA-90 Drawer Adapter/Non Catalog Tables, specify table width (pair)

K13

2 ea TWO (2) COMPARTMENT SINK



Advance Tabco Model No. FC-2-2424-24RL
Fabricated Sink, 2-compartment, 24" right & left drainboards, bowl size 24" x 24" x 14" deep, 16 gauge 304 stainless steel, tile edge splash, rolled edge, 8" OC faucet holes, stainless steel legs with adjustable side cross-bracing, 1" adjustable stainless steel builet feet, overall 30" F/B x 96" L/R, NSF

- 2 ea Prerinse faucets
- 2 ea K-116 T&S Heavy Duty Pre-Rinse Faucet, 8" OC, splash mounted, includes: spray valve & hose, riser, wall bracket, overhead spring, lead free
- 2 ea K-117-TS Pre-Rinse Add-A-Faucet, 12" swing spout, fits K-115 & K-116, lead free
- 4 ea K-40 Lever Drain, all stainless steel, 2"
- 4 ea K-4 Support Bracket, for lever waste drain handle, (1) support required for each lever drain

K14

4 ea WORK TABLE, CABINET BASE HINGED DOORS



Advance Tabco Model No. HK-SS-246 Work Table, 72"W x 24"D, cabinet base with hinged doors, 14 gauge 304 stainless steel top with 5"H backsplash, stainless steel legs with adjustable hex feet, NSF

12 ea TA-46 Door lock, one required for each hinge door or for each set of sliding doors

K15

1 ea CLEAN DISHTABLE



Advance Tabco Model No. DTC-S30-48R
Dishtable, clean, straight design, left-to-right operation, 10-1/2"H backsplash, 3" rolled front & side rims, stainless steel legs & crossrails, 47"W x 30"D x 34"H, 14/304 stainless steel

1 ea SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here

K16

1 ea DISHTABLE, SOILED "L" SHAPED



Advance Tabco Model No. DTS-K30-144L Korner-Soil Dishtable, L-shaped, left-to-right, 10-1/2"H backsplash, with pre-rinse sink, stainless steel legs, with stainless steel crossrails, 143" long, 14/304 stainless steel, includes prerinse basket with slide bar (slide bar only when K-461 or K-461A disposer adapter is specified)

- 1 ea SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here
- 5 ft DTA-56 Additional drainboard area on machine side (priced per linear foot)
- 1 ea K-57 Welded field joint (welded in field by others)
- 1 ea DTA-78 Notch backsplash return to accommodate dish machine interference (Please specify Dish Machine being used)
- 3 ea DTA-99E Sink Bowl, 24"W x 24"D x 14" deep, welded into top, (per bowl) (must specify sink location)
- 3 ea DTA-52 Pre-Rinse Slide Bar, for 24"W x 24"D fabricated sink bowls
- 3 ea DTA-59 Pre-Rinse Basket with Slide Bar, for 24"W x 24"D fabricated sink bowls, 18/304 stainless steel
- 1 ea K-116 T&S Heavy Duty Pre-Rinse Faucet, 8" OC, splash mounted, includes: spray valve & hose, riser, wall bracket, overhead spring, lead free
- 1 ea K-117-TS Pre-Rinse Add-A-Faucet, 12" swing spout, fits K-115 & K-116, lead free
- 2 ea K-111 T&S Heavy Duty Faucet, 8" OC, splash mounted with 14" swing spout, lead free
- 4 ea K-5 Drain, twist operated, 2" NPT & 1-1/2" IPS outlet connections
- 4 ea K-4 Support Bracket, for lever waste drain handle, (1) support required for each lever drain

Item Qty Description **K17** 2 ea DEMO MIRROR Advance Tabco Model No. MI-48 Tilting Demo Mirror, ceiling mounted, glass mirror 50-1/2"W x 25-1/2"H inside of square tubular stainless steel frame, rainbow uprights for added support, stainless steel, NSF (height dimension must be provided) **K18 WORK TABLE, CABINET BASE OPEN FRONT** Advance Tabco Model No. EB-SS-308 Work Table, 96"W x 30"D, open front cabinet base, 14 gauge 304 stainless steel top, stainless steel legs with adjustable hex feet, NSF 2 ea Hatco HDW-2B Warming Drawer Unit, Built-in, two drawers, includes (1) standard 6" deep food pan per drawer, stainless steel construction, thermostatic controls, NSF, cULus, Made in USA 2 ea Hatco NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details 2 ea Hatco NOTE: Includes 24/7 parts & service assistance, call 800-558-0607 2 ea Hatco 2-Yr Warranty on drawer warmer heating elements against burnout, standard 2 ea Hatco 2-Yr Warranty on drawer slides & rollers against breakage, standard 2 ea Hatco 120v/60/1-ph, 900 watts, 7.5 amps, hardwired (Domestic voltage), standard 2 ea Hatco STANDARD Stainless Steel Drawer Front, standard (Available at time of purchase only) 2 ea Hatco Standard drawer pan 2 ea Hatco Standard drawer pan 4 ea Wells H-706 Hotplate, built-in, electric, 14-3/4" W, two burners, 9" Ø solid cast iron elements, with (2) infinite heat controls, front mounted, recessed control panel, stainless steel drip tray, Wellslok, 3000/4000w, RU, NSF 4 ea Wells 1 year parts and labor warranty, standard 4 ea Wells Note: Must specify voltage and phase 4 ea Wells One year warranty on cast iron grates, burners & burner shields, standard 4 ea Wells 208-240v/60/1-ph or 3-ph, 3.0-4.0kW, field wired (field convertible) 4 ea TA-34 Top cut-out for drop in equipment (per cut-out) 8 ft TA-27 Control Panel for heated well, requires top cut out TA-34 (per linear foot) 6 ea TA-48 12" x 12" cut out for plumbing in back panel or undershelf 6 ft TA-92 Apron in front of sink or drop in (per linear foot) (note: use TA-27 if control panel mounting is required) 4 ea TA-62C Electric outlet under top of table or overshelf, GFI, duplex, in single gang box, NEMA 5-20R receptacles, stainless face plate, maximum 120v 20A service (wiring & utility chases or provisions not

included) (optional chases and/or wiring by Advance Tabco is

Port Arthur EDC - Education Kitchen List Equipment

available-call for pricing)

Initial: Page 10 of 19 **Item** Qty

Description

- 2 ea TA-62E Upgrade electric outlet to NEMA 6-20R or equivalent, maximum 240v 20A service (typically used for 208/240v applications), single receptacle in box, (wiring & utility chases or provisions not included) (optional chases and/or wiring by Advance Tabco is available-call for pricing) (requires TA-62A, TA-62C or TA-62D option)
- 2 ea TA-15 Prepare for drawer warmer (warmer by others, specify brand & model), for enclosed base tables only, includes side partition(s) & apron (each)
- 2 ea TA-36A-HINGED Hinged Door, 30" maximum width (per door), stainless steel
- 4 ea TA-42-30 Interior partition, 2-1/2" x 30" (each)
- 4 ea TA-551 Installation of customer-supplied hot food well (requires TA-34 or TA-34A top cut out)
- 2 ea TA-550 INSTALLATION OF DRAWER WARMER
- 10 ea TA-650 WIRING OF DROP-INS, DRAWER WARMER AND OUTLETS
- 2 ea TA-LOAD100 LOAD CENTER AND LABOR TO A SINGLE POINT CONNECTION IN FIELD.

K19

2 ea WORK TABLE, CABINET BASE OPEN FRONT



Advance Tabco Model No. EB-SS-3612 Work Table, 144"W x 36"D, open front cabinet base, 14 gauge 304 stainless steel top, stainless steel legs with adjustable hex feet, NSF

- 2 ea True TSSU-48-12-HC Sandwich/Salad Unit, (12) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, stainless steel top, front, sides, aluminum back, aluminum interior with stainless steel floor, 5" castors, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 5.8 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, Made in USA
- 2 ea True Warranty 3 year parts and labor, please visit www.Truemfg.com for specifics
- 4 ea Hatco GRAHL-48D3 Glo-Ray® Infrared Foodwarmer, 48" W, high wattage, tubular metal heater rod with lights, double heater rod housing 3" spacing, aluminum construction, 2440 watts, NSF, cULus, Made in USA
- 1 ea Hatco NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details
- 1 ea Hatco NOTE: Includes 24/7 parts & service assistance, call 800-558-0607
- 2 ea Hatco One year on-site parts and labor warranty, plus one additional year parts only warranty on all Glo-Ray metal sheathed elements
- 2 ea Hatco 120/208v/60/1-ph
- 2 ea Hatco RMB-7J Remote Control Enclosure, (2) toggle switches, (2) indicator lights (for 208 volt only)
- 4 ea Hatco STANDARD Clear Anodized Aluminum (housing), standard (Available at time of purchase only)
- 2 ea Hatco LEADS15 11'-15' Extended Electrical Leads (Available at time of purchase only)
- 4 ea Hatco STANDARD Clear Anodized Aluminum, standard (Available at time of purchase only)

Port Arthur EDC - Education Kitchen List Equipment

Initial:

Page 11 of 19

Item Qty Description

- 4 ea Hatco ADJ ANGLE-D Adjustable angle bracket, (2) pair
- 2 ea Hatco HDW-2B Warming Drawer Unit, Built-in, two drawers, includes
 (1) standard 6" deep food pan per drawer, stainless steel construction, thermostatic controls, NSF, cULus, Made in USA
- 1 ea Hatco NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details
- 1 ea Hatco NOTE: Includes 24/7 parts & service assistance, call 800-558-0607
- 2 ea Hatco 2-Yr Warranty on drawer warmer heating elements against burnout, standard
- 2 ea Hatco 2-Yr Warranty on drawer slides & rollers against breakage, standard
- 2 ea Hatco 120v/60/1-ph, 900 watts, 7.5 amps, hardwired (domestic voltage), standard
- 2 ea Hatco STANDARD Stainless Steel Drawer Front, standard (Available at time of purchase only)
- 2 ea Hatco Standard drawer pan
- 2 ea Hatco Standard drawer pan
- 2 ea TA-15 Prepare for drawer warmer (warmer by others, specify brand & model), for enclosed base tables only, includes side partition(s) & apron (each)
- 2 ea TA-113 Notch table top for floor-mounted buyout equipment (for open base tables only-with undershelf, must also use TA-40)
- 2 ea TA-40 Remove undershelf in cabinet base for slide in buyout
- 24 ft TA-135 Plate Shelf, under counter mount, 10" deep, for enclosed base tables without doors only, factory installed, sold (per linear foot) (if ordering less than the same number of linear feet as the length of the table, must add TA-42 interior partition)
- 8 ea TA-42-30 Interior partition, 2-1/2" x 30" (each)
- 2 ft TA-55 Remove back panel, on enclosed base
- 6 ea TA-48 12" x 12" cut out for plumbing in back panel or undershelf
- 4 ea TA-36A-HINGED Hinged Door, 30" maximum width (per door), stalnless steel
- 2 ea DISW-2-120 Hot Food Well Unit, drop-in, electric, 30-1/2"W x 24-1/2"D x 15-7/16"H (overall), 29-5/8"W x 23-1/2"D (cut out size), (2) 12" x 20" sealed hot food wells with drains (accommodates pan inserts up to 6-1/4" deep), wet or dry operation, remote control panel with individual infinite controls, indicator lights, 18 gauge 304 stainless steel self rimmed top, 20 gauge galvanized body, NSF, UL
- 1 ea 120v/60/1-ph, 18.33 amps, direct wired, standard
- 2 ea TA-34 Top cut-out for drop in equipment (per cut-out)
- 2 ea TA-502 Install Advance Tabco-brand drop-in unit work table top (TA-34 top cut out also required), (Hot food units also require TA-27 control panel), (NOTE-most jurisdictions will not allow a stainless drop-in sink in stainless steel countertop-see TA-11 for weld-in sinks), (To install drop-in units not provided by Advance Tabco, consult factory for pricing)
- 6 ft TA-27 Control Panel for heated well, requires top cut out TA-34 (per linear foot)
- 2 ea CU-18-144 Overshelf, single, 144"W x 18"D, 18/430 stainless steel, to

| Item | 0-4 | Rommercial Ritchens | 07/10/20 |
|------|--------|---|----------|
| rtem | Qty | Description | |
| | | span over existing equipment (supplied by others), NSF (must provide | |
| | | equipment model numbers that shelf is going over to clarify mounting | |
| | | provision) | |
| | 4 ea | CU-18-60 Overshelf, single, 60"W x 18"D, 18/430 stainless steel, to | |
| | | span over existing equipment (supplied by others), NSF (must provide | |
| | | equipment model numbers that shelf is going over to clarify mounting provision) | |
| | 1 ea | NOTE: Must specify flat or "L" bracket & equipment unit is being | |
| | | mounted over - Prints required | |
| | 4 ea | TA-60 Modification to reduce length and/or width of shelf, start with | |
| | | next largest size then add "TA-60" to model number | |
| | 4 ea | TA-71 Heat lamp mounting provision (specify brand & model of heat | |
| | | lamp) | |
| | 2 ea | TA-550 INSTALLATION OF DRAWER WARMER | |
| | | TA-550 INSTALLATION OF HEAT LAMPS | |
| | | TA-650 WIRING OF DROP-INS, DRAWER WARMER AND OUTLETS | |
| | 2 ea | TA-LOAD100 LOAD CENTER AND LABOR TO A SINGLE POINT | |
| | | CONNECTION IN FIELD. | |
| 20 | 1 ea | EXHAUST HOODS | |
| | | Accurex | |
| | | KH-1 (112C) 1 Exhaust Only Wall Canopy Hood w/ ASP XBEW-240.00-S | |
| | | KH-2 (112C Range) 1 Exhaust Only Wall Canopy Hood XBEW-42.00-S | |
| | | DH-1 (114C Wash) 1 Condensate Hood XD1 - 42.00 - S | |
| | | KH-3 (111C Range) 1 Exhaust Only Wall Canopy Hood XBEW-42.00-S | |
| | | KH-4 (111C) 1 Exhaust Only Wall Canopy Hood w/ ASP XBEW-240.00-S | |
| | | 112C FSS 1 Fire Suppression System FSSC - 20 - 2 | |
| | | 111C FSS 1 Fire Suppression System FSSC - 20 - 2 | |
| | | KEF-KH-1 1 Upblast Exhaust Fan XRUB-180-VGD-30 | |
| | | KEF-KH-1, Roof Curb 1 Roof Curb GPFV-30-G20 | |
| | | KEF-KH-4 1 Upblast Exhaust Fan XRUB-180-VGD-30 KEF-KH-4, Roof Curb 1 Roof Curb GPFV-30-G20 | |
| | | KEF-KH-2 1 Upblast Exhaust Fan XRUD-101HP-VG | |
| | | KEF-KH-2, Roof Curb 1 Roof Curb GPFV-19-G24 | |
| | ì | KEF-KH-3 1 Upblast Exhaust Fan XRUD-101HP-VG | |
| | ì | KEF-KH-3, Roof Curb 1 Roof Curb GPFV-19-G24 | |
| | | DEF-DH-1 1 Upblast Exhaust Fan XRUD-090-VG | |
| | (| DEF-DH-1, Roof Curb 1 Roof Curb GPF-19-G16 | |
| | ŀ | (SF-KH-1 1 Untempered Supply Fan XKSFB-112-H15-01 | |
| | ŀ | SF-KH-1, Roof Curb 1 Roof Curb TAP-GPI 185.53 | |
| | k | SF-KH-4 1 Untempered Supply Fan XKSFB-112-H15-01 | |
| | K | SF-KH-4, Roof Curb 1 Roof Curb TAP-GPI | |
| | C | ontrols - 112C 1 Variable Volume Fan Control Center Variable Volume | |
| | V | 'ari-Flow | |
| | C V | ontrols - 111C 1 Variable Volume Fan Control Center Variable Volume 'ari-Flow | |



Qty

Metro Model No. MX2460G

MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF

24 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection

K21.1 1 ea DUNNAGE RACK



Metro Model No. HP2248PD

Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF

K22 24 ea PLASTIC SHELVING

Metro Model No. MX2448G



MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF

- 16 ea MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF
- 40 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection

K22.1 1 ea DUNNAGE RACK



Metro Model No. HP2248PD

Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with separate polymer tie for joining racks, corrosion proof polymer construction, NSF

K23 2 ea HEATED HOLDING PROOFING CABINET, MOBILE Carter-Hoffmann Model No. HL4-18



hotLOGIX Humidified Holding Cabinet/Heater Proofer-HL4 Series, one compartment, full height, insulated, (36) 12" x 20" or (18) 18" x 26" pan capacity, 3" fixed wire universal slides, (1) single pane tempered glass door, bottom-mount forced air heat with water reservoir, mechanical controls, aluminum construction, (4) 5" swivel casters (2 with brakes),

ETL, ETL-Sanitation (RapidShip)

- 2 ea 3 Year parts & labor warranty, standard
 2 ea 120v/60/1-ph, 2100 watts, 17.5 amps, 8 ft cord with NEMA 5-20P, standard
- 2 ea Single pane tempered glass door in extruded aluminum, standard

stainless steel corners, removable open grid polymer mats, (4) wedge connectors, built in Microban® antimicrobial product protection, 1000 lb. capacity per shelf, NSF

16 ea MX74P Polymer trilobal post (compatible with MetroMax® i, MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobial product protection

Dry Storage

Port Arthur EDC - Education Kitchen List Equipment

Initial: Page 15 of 19

breaker, 68" stainless steel flexible hose, hooked nozzle, quarter-turn Eterna cartridge with spring check, lever handle with color indexes, 1/2" NPT female inlet, chrome-plated brass finish, low lead, NSF, cCSAus

K31 3 ea FLOOR TROUGH

Advance Tabco Model No. FFTG-1236

Floor Trough, 36"W x 12"D x 4" deep, with fiberglass grating, stainless steel removable strainer basket, 4" O.D. waste pipe 3"L, pitched towards waste, NSF

| K32 | 1 00 | LINDERCOLINTER REFRIGERATOR |
|-----|------|-----------------------------|
| | | |



Qty

True Manufacturing Co., Inc. Model No. TUC-27-ADA-HC~SPEC3 SPEC SERIES® Undercounter Refrigerator, 34" working height, 33 - 38°F, SPEC Package 3 includes: 16-ga. stainless steel top, (1) heavy-duty stainless steel door, steel handle, door lock standard, (2) PVC coated adjustable wire shelves, electronic temperature control with digital temperature display, stainless steel sides & back, stainless steel interior, 3" castors, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 2.0 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, ADA Compliant, Made in USA

- 1 ea Self-contained refrigeration standard
- 1 ea Warranty 7 year compressor (self-contained only), please visit www.Truemfg.com for specifics (updated warranty sheet pending from True)
- 1 ea Warranty 3 year parts and labor, please visit www.Truemfg.com for specifics

K33 1 ea ICED TEA BREWER



BUNN Model No. 36700,0013

36700.0013 TB3Q Iced Tea Brewer, 3-gallon capacity single brewer, 26.7 gallon/hour, SplashGard® funnel, Quickbrew system (dispensers sold separately), 120v/60/1-ph, 1730w, 14.4amps, NEMA 5-15P, cord attached, UL, NSF

- 1 ea 34100.0002 34100.0002 TDO-4 Iced Tea/Coffee Dispenser, cylinder style, 4 gallon capacity (15.1 litres), sump dispense valve, oval shape brew-through plastic lid, faucet handles are labeled sweetened & unsweetened, side handles, NSF
- 1 ea 39000.0007 39000.0007 EQHP-TEA Easy Clear® Water Softening Filter, high performance, 4,350 grains of hardness reduction, reduced scale forming minerals, 1 gpm flow rate, 5 micron, integrated carbon block, quick connect, includes: head assembly, integral mounting bracket & single cartridge filter

K34 1 ea COFFEE BREWER



BUNN Model No. 20900.0011

20900.0011 Dual® Coffee Brewer, Portable, mechanical thermostat, brews 18.9 gallons per hour capacity, stainless steel funnel, 3 batch-size settings, electronic timer & grinder interface, upper hot water faucet, variable water bypass, includes (2) GPR servers (20950.0004), 4" black adjustable legs, 120/240v/60/1-ph, 6890 watts, 29 amps, UL, NSF

- 2 ea 20950.0004 20950.0004 1.5GPR-FF Coffee Server, 1.5 gallon, top handles, fast flow faucet, stainless decor, NSF
- 2 ea 12203.0010 12203.0010 RWS1 Satellite Brewer Warmer, 4" adjustable plastic legs (for use with 1GPR and 1.5GPR servers), 120v/60/1-ph, 100w, 1 amps, cord attached, UL, NSF
- 1 ea 39000.0002 39000.0002 EQHP-25L Easy Clear® High Water System, 25,000 gallon, reduced sediment, chlorine taste & odor, reduction @ 2.1 gpm, equipment protection, scale inhibitors with "L" model, 0.2 micron, includes: a head assembly, integral mounting bracket and cartridge filter, Quick Connect, NSF

K35 1 ea FROZEN DRINK MACHINE, NON-CARBONATED, BOWL TYPE

Description



BUNN Model No. 34000.0013

34000.0013 ULTRA-2 Ultra Gourmet Ice® Frozen Drink Machine, counter model, (2) 3 gallon hoppers, internally monitored refrigeration system, touchpad display, reversing auger design freeze time & reduces air mixing, flat lid, black decor, cord attached, 120v/60/1-ph, 12amps, NEMA 5-15P, NSF, ETL

1 ea Full 2 year parts, 1 year labor warranty, 3 years parts/labor warranty on electronics, 5 years parts and 1-year labor warranty on compressor

K36

1 ea BEVERAGE DISPENSER, ELECTRIC (HOT)



BUNN Model No. SET00.0197
SET00.0197 FMD-3 BLK Fresh Mix Dispenser, (3) 4 lb. hopper, 5.2 gallon/hr capacity, lighted front graphics, high-impact resin door, heavy-duty whipper, adjustable legs & drip tray accommodate 20 oz. mugs, variable speed hopper motor, black decor, 120v/60/1-ph, 1800w, 15amps, NEMA 5-15P, cord attached, NSF, ETL

1 ea 39000.0004 39000.0004 EQHP-10 Easy Clear® Medium/High Water System, 10,000 gallon, reduced sediment, chlorine taste & odor, 1.5 gpm, equipment protection, 10 micron, includes: a head assembly, integral mounting bracket and cartridge filter, Quick Connect, NSF

K37

1 ea HOT WATER DISPENSER



BUNN Model No. 43600.0026 43600.0026 H5X Element Hot Water Dispenser, 5 gallon capacity, digital thermostat, 212°F setting, LED display, programmable "Energy Saver Mode", Thinsulate® tank insulation, stainless steel construction, 120v/60/1-ph, 1850 watts, 15.4 amps, UL, NSF

K38

1 ea AIR CURTAIN



Berner Model No. SHD07-2072A
Sanitation Certified Series High Performance Air Curtain, 72" long, unheated, (2) 3/4 hp motor, for doors up to 7-feet high, aluminum housing with white finish, indoor or exterior mounting, cULus, UL EPH Classified, MADE IN USA

- 1 ea Five year parts warranty (unheated units)
- 1 ea If special freight fees are requested, (See below) all applicable fees will be added to the invoice; fees subject to change; contact factory for addition information.
- 1 ea A 120v/60/1-ph
- 1 ea 9503SD020-P Automatic Door Switch, plunger type, activates air door when door opens, single phase only & max. amp draw of 20 amps
- 1 ea White powder coat exterior finish standard

Total

\$636,771.00

Prices Good Until: 12/31/2020

By signing below customer agrees to all items as quoted above. This includes all utilities and sizes of equipment. Kommercial Kitchens will not be responsible for incorrect utilities, sizing issues, code violations, or operational flow. Customer is to initial each page, sign, and date at the bottom of the page to process order. Customer must also sign any related shop drawings. If job site is not ready for equipment, a storage fee may be enforced.

Port Arthur EDC - Education Kitchen List Equipment

Initial: _____ Page 18 of 19

Kommercial Kitchens

07/10/2020

| Acceptance: | Date: | |
|-----------------------------------|-------|--|
| Printed Name: | | |
| Project Grand Total: \$636,771.00 | | |

Port Arthur EDC - Education Kitchen List Equipment



Quotation

10/08/2020

Bil To:

Port Arthur Economic Development The City of Port Arthur LSCPA - 10-

Corporation

Jana Barnes

501 Procter Street Port Arthur, TX 77640 Project Code: 202206

Project:

Port Arthur, TX

From:

1st Choice Restaurant Equipment

Don Hudspeth 6108 Hwy 290 West **Austin, TX 78735**

(210)595-3131

Please Note: Per instructed, this proposal matches the equipment list provided, however the equipment list does not match the floor plan. We will not be held responsible for any omissions, duplications or error.

| Item | Qty | Description | Sell | Sell Total |
|------|------|---|-------------------|-------------|
| K1 | 2 ea | | \$8,995.00 elf | \$17,990.00 |
| | | Compliant | | |
| | 2 ea | One year parts & labor warranty | | |
| | | Self-contained refrigeration standard | | |
| | 2 ea | 120v/60/1-ph, 1/3 hp, 8.0 amps | | |
| | | Five year compressor warranty, standard (for self-contained units only) | | |
| | 2 ea | Laminate standard color - Black | | |
| | | | TEM TOTAL: | \$17,990.00 |
| K2 | 2 ea | CONVECTION OVEN, GAS Vulcan Model No. VC44GD Convection Oven, gas, double-deck, standard depth, solid state controls, electronic spark igniters, 60 minute timer, (5) nickel plated racks per oven, 8" high legs, stainless steel front, top & sides, stainless teel doors with windows, (2) 50,000 BTU, NSF, CSA Star, CSA Flame, ENERGY STAR® 1 year limited parts & labor warranty, standard Natural gas (specify elevation if over 2,000 ft.) | \$6,039.00 ess | \$12,078.00 |

Port Arthur Economic Development Corporation

Initial: _ Page 1 of 25



| Item | Qty | Description | Sell | Sell Total |
|------|--------------|--|--------------|-------------|
| | 2 e | (1) == 1, 10; = 1: allips total, (2) o colds with plugs, standard | | |
| | 2 ea | Gas manifold piping included with stacking kit to provide single poin gas connection | nt | |
| | 2 s | t Casters, set of (4) in lieu of standard legs | \$74.00 | \$148.00 |
| | | | TEM TOTAL: | \$12,226.00 |
| | 2 k | BLUE HOSE GAS CONNECTOR KIT | \$205.00 | \$410.00 |
| | | Dormont Manufacturing Model No. 1675KIT48PS | | , |
| | | Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 4 | 18" | |
| | | long, covered with stainless steel braid, coated with blue | | |
| | | antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbow | vs, | |
| | | (1) Snap'N Go, (1) pair Safety Set® with hardware mounting options, | | |
| | | limited lifetime warranty | | |
| 140 | | | TEM TOTAL: | \$410.00 |
| K3 | 4 ea | | \$15,014.00 | \$60,056.00 |
| | | RATIONAL Model No. ICP 6-FULL NG 208/240V 1 PH (LM100CG) | | |
| | | (QUICK SHIP) (CC1GRRA.0000238 - NG - 208/240V) iCombi Pro® 6-Full | | |
| | | Size Combi Oven, natural gas, (6) 18" x 26" sheet pan or (12) 12" x 20" | | |
| | | steam pan or (6) 2/1 GN pan capacity, (3) stainless steel grids include | d, | |
| | | intelligent cooking system with (4) assistants; iDensityControl, | | |
| | | iCookingSuite, iProductionManager, & iCareSystem, (6) operating | | |
| | | modes, (5) cooking methods, (3) manual operating modes, 85° to 572 | °F | |
| | | temperature range, quick clean, care control, eco mode, 6-point core | | |
| | | temperature probe, retractable hand shower, Ethernet interface, Wi- | • | |
| | | Fi enabled, includes (1) bucket of Active Green Cleaner & (1) bucket of Active Green & (1) bucket & (| of | |
| | 100 | Care Tabs, 106,500 BTU, 208/240v/60/1-ph, 0.9 kW, IPX5, cCSAus, NSF | | |
| | | NOTE: All discounts subject to approval by manufacturer | | |
| | | 2 years parts and labor, 5 years steam generator warranty | | |
| | z ea | CAP Chef Assistance Program, a RATIONAL certified Chef conducts 4 | | |
| | | hours/location specialized application training with personnel, no charge | | |
| | 2 00 | | | |
| | 2 C a | 9999.9951 RCI Rational Certified Installation, new certified installation | 1 \$1,015.00 | \$2,030.00 |
| | | for the first countertop model sizes 6-half/full and 10-half/full, | | |
| | | (pricing based on a 50 mile radius, Additional charges may apply, See | | |
| | | attached installation flyer for details) THIS ITEM IS NON- DISCOUNTABLE, USA ONLY (NET) | | |
| | 7 00 | · · | | |
| | ∠ ea | 9999.9812 Pre-Installation Site Survey, ensures that the site has prope | r \$203.00 | \$406.00 |
| | | space and connections for gas, electric, drain & water, includes 50 miles (100 miles round trial) from the installer can only be seen as a large state. | | |
| | | miles (100 miles round trip) from the installer, can only be purchased | | |

Initial: _____ Page 2 of 25



| Item | Qty | Description | Sell | Sell Total |
|------|------|--|----------|------------|
| | | with a Certified Installation, THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | | |
| | 2 ea | 9999.9957 RCI Rational Certified Installation, for each additional countertop unit installed at the same location on the same day, model sizes 6-half/full and 10-half/full, (Pricing based on a 50 mile radius, Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$812.00 | \$1,624.00 |
| | | 8720.1560US (QUICK SHIP) Installation Kit, for gas SCC WE/CMP 101G (120/60/1ph); gas SCC WE/CMP 62G (208-240/60/1ph); gas SCC WE/CMP 61G (120/60/1ph) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY (NET) | \$581.00 | \$2,324.00 |
| | | 1900.1150US (QUICK SHIP) Water Filtration Double Cartridge System, for Combi-Duo models 62/62 or 62/102 or if used for more than (2) units, includes: (1) double head with pressure gauge, (2) R95H filter & (1) filter installation kit (for each additional unit add (1) additional head & additional cartridge. Maximum (4) cartridges) | \$924.00 | \$1,848.00 |
| | | 9999.8448 RCI Rational Certified Installation, additional installation cost for a Rational Water Filter System is available when purchased with Certified Installation of Rational unit (Pricing based on a 50 mile radius, additional charges may apply. See attached flyer for details) THIS ITEM IS NON-DISCOUNTABLE, USA ONLY | \$178.00 | \$356.00 |
| | 4 ea | NOTE: The RATIONAL Water Filtration Systems helps provide consistent high quality water to your RATIONAL cooking systems. The patented carbon block technology reduces the effects of sediment, chloramines and chlorine while providing the required flow rates | | |
| | 4 ea | NOTE: All public water systems using surface water and most ground water systems treat with either chlorine/chloramine or chlorine dioxide (EPA will allow levels as high as 4ppm safe for drinking water, exceeding our maximum level of .2ppm. | | |
| | 4 ea | NOTE: Chloride concentrations above 80ppm can cause corrision. RATIONAL Water Filtration does NOT reduce chloride | | |
| | 4 ea | Free Water Testing Kits are available (contact factory for info) | | |
| | 4 ea | 56.00.562 (QUICK SHIP) Care Tablets, bucket of 150 packets for all SelfCooking Center® units from 10/2008, with CareControl - Serial SG, SH or SI series (minimum order quantity: 2pcs, unless ordered with a unit) | \$72.00 | \$288.00 |
| | | 60.75.752 (QUICK SHIP) Combi-Duo Stacking Kit for iCombi 6-half size or 6-full size (gas only) | \$990.00 | \$990.00 |
| | 4 ea | 60.31.203 (QUICK SHIP) Stand I for Combi-Duo, 7-3/4"H, open sides, for | \$443.00 | \$1,772.00 |

Initial: ____ Page 3 of 25



| Item | Qty | Description | | Sell | Sell Total |
|------|-------|---|--------------|-------------------|--------------------------------|
| | 2 ea | iCombi 6-full size on 6-full size 9999.9959 RCI Rational Certified Installation, new certified install for a stacking kit for a Combi-Duo, pricing based on a 50 mile radii Additional charges may apply, See attached installation flyer for details) THIS ITEM IS NON-DISCOUNTABLE. USA ONLY (NET) | ation us, | \$203.00 | \$406.00 |
| | 12 ea | 6010.2101 Gastronorm Grid Shelf, 2/1 size, 25-5/8" x 20-7/8", stair steel | less | \$42.00 | \$504.00 |
| | 12 ea | 6019.1150 CombiFry Basket, 1/1 GN, 12-3/4" x 20-7/8" | ľTFM. | \$63.00 TOTAL: | \$756.00 \$73,360.00 |
| | 4 kt | BLUE HOSE GAS CONNECTOR KIT Dormont Manufacturing Model No. 1675KIT48PS Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elb (1) Snap'N Go, (1) pair Safety Set® with hardware mounting option limited lifetime warranty | ows, | \$205.00 | \$820.00 |
| | | | ITEM : | TOTAL: | \$820.00 |
| К4 | 2 ea | RANGE, 36", 6 OPEN BURNERS Vulcan Model No. 36S-68N Endurance™ Restaurant Range, natural gas, 36", (6) 30,000 BTU burners, lift-off burner heads, standard oven, stainless steel front sides, backriser, & lift-off high shelf, fully MIG welded chassis, 6" adjustable legs, 215,000 BTU, CSA, NSF | , | \$2,685.00 | \$5,370.00 |
| | 2 ea | 1 year limited parts & labor warranty, standard 36RB Salamander Broiler, gas, 36" wide, 50,000 BTU heavy duty bur dual control, (6) grid positions, removable pan, stainless steel from top & sides, 3/4" gas connection & pressure regulator Natural gas (specify elevation if over 2,000 ft.) | ner, it, | \$2,633.00 | \$5,266.00 |
| | | CONNECT-CHALL Inter-plumbing gas connection kit (requires rear g connection on range), for connecting 36RB/36IRB to Endurance or Challenger Series ranges | gas | \$354.00 | \$708.00 |
| | | RSHELF-XL36 Reinforced highshelf, for 36" medium duty ranges (shipped in separate carton) | | \$307.00 | \$614.00 |
| | 2 ea | Stainless steel backriser & lift-off high shelf, standard | | | A |
| | | BLUE HOSE GAS CONNECTOR KIT Dormont Manufacturing Model No. 1675KIT48PS | ITEM T | \$205.00 | \$11,958.00 \$410.00 |

Initial: _____ Page 4 of 25



| ltem | Qty | Description | Sell | Sell Tota |
|------------|------------------------------|--|----------------------|--------------------------------|
| | | Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbo (1) Snap'N Go, (1) pair Safety Set® with hardware mounting options limited lifetime warranty | ws, | |
| | | | ITEM TOTAL: | \$410.00 |
| K 5 | 2 ea 2 ea 2 ea 2 ea | AccuTemp Model No. N61201E060 DBL (QUICK SHIP) Two Connected Evolution™ Boilerless, Convection Steamers featuring Steam Vector Technology, natural gas, holds (6) 12" x 20" x 2-1/2" deep pans each compartment, Digital Controls, wa and drain connection required, warranty NOT voided by water quali NO water filtration required, 60,000BTU, 120/60/1ph, (2) 5' cords & NEMA 5-15P, ENERGY STAR® (Includes stand in configuration of choic ***(THIS ITEM IS SUBJECT TO A 3% CONVENIENCE FEE IF PURCHASED WITH A CREDIT CARD)*** 1 year parts & labor warranty, standard Lifetime service and support guarantee Alternate voltages available, contact factory for details Door hinged on right standard SNH-21-01 - Support Stand, for double stacked Steam'N'Hold or Evolution units, Ergo-low mounting height: 8-7/8" lowest unit height | ty, ce) | \$32,320.00 |
| | | stainless steel, with 5" casters in lieu of standard | TEM TOTAL: | £22 220 00 |
| | 4 kt | BLUE HOSE GAS CONNECTOR KIT Dormont Manufacturing Model No. 1650KIT48PS Dormont Blue Hose™ Moveable Gas Connector Kit, 1/2" inside dia., 4: long, covered with stainless steel braid, coated with blue antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbow (1) pair Safety Set® with hardware mounting options, limited lifetime warranty | \$161.00 8" s. | \$32,320.00 \$644.00 |
| | | | EM TOTAL: | \$644.00 |
| 5.1 | 2 ea | FLOOR TROUGH Advance Tabco Model No. FFTG-1230 Floor Trough, 30"W x 12"D x 4" deep, with fiberglass grating, stainless steel removable strainer basket, 4" O.D. waste pipe 3"L, pitched towards waste, NSF | \$1,259.00 | \$2,518.00 |

Initial: _____ Page 5 of 25



| Item | Qty | Description | Sell | Sell Tot |
|------|------|---|---------------|-------------|
| | | | ITEM TOTAL: | \$2,518.0 |
| K6 | 2 ea | TILTING SKILLET BRAISING PAN, GAS Cleveland Range Model No. SGL30T1 PowerPan™ Tilting Skillet, gas, 30-gallon capacity, bead blasted cooking surface, 10° tilt cooking feature, with easy manual hand til | \$15,487.00 | \$30,974.0 |
| | | spring-assisted cover with vent, gallon & liter markings, stainless s construction with open leg frame, CE, NSF, 125,000 BTU | t, teel | |
| | | 1-year parts & labor warranty, standard | | |
| | 2 ea | Performance start-up included at customer request after equipment installed (Free Water Quality Check included) (contact Cleveland Screpresentative for details) | nt is ales | |
| | 2 ea | Natural Gas | | |
| | 2 ea | 120v/60/1-ph, 1.4 amps, NEMA 5-15P, standard | | |
| | | Standard controls, temperature control dial, LED ON indicator light, main power switch with standard and high power setting, standard | | |
| | | SKFS Single Pantry Braising Pan Filler, with 60" hose | \$818.00 | \$1,636.0 |
| | | FBST1 Faucet Bracket for T1 series floor model skillets | \$169.00 | \$338.0 |
| | 2 ea | FSSK Food Strainer, 30 & 40 gallon, for braising pans | \$258.00 | \$516.0 |
| | | | ITEM TOTAL: | \$33,464.00 |
| | 2 kt | SAFETY SYSTEM MOVEABLE GAS CONNECTOR | \$165.00 | \$330.00 |
| | | Dormont Manufacturing Model No. 1675KIT48 | | |
| | | Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., | 48" | |
| | | long, covered with stainless steel braid, coated with blue | | |
| | | antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbov | vs, | |
| | | (1) Snap'N Go, coiled restraining cable with hardware, 180,000 BTU/I minimum flow capacity, limited lifetime warranty | nr . | |
| 5.1 | 2 | | TEM TOTAL: | \$330.00 |
| J. I | | FLOOR TROUGH | \$1,223.00 | \$2,446.00 |
| | | Advance Tabco Model No. FFTG-1224 Floor Trough, 24"W x 12"D x 4" deep, with fiberglass grating, stainles steel removable strainer basket, 4" O.D. waste pipe 3"L, pitched towards waste, NSF | S | |
| | | FT-1 Anti-Splash Guard, factory installed (per linear foot) | 4 | _ |
| | | | \$47.00 | \$188.00 |
| , | 2 ea | GAS FLOOR FRYER | FEM TOTAL: | \$2,634.00 |
| | | Vulcan Model No. 1TR45AF | \$9,191.00 | \$18,382.00 |
| | | PowerFry3™ Fryer, gas, high efficiency, 15-1/2" W, free-standing, 45- | | |

Initial: _____ Page 6 of 25



| Item | Qty | Description | Sell | Sell Tota |
|------|------|---|-------------|-------------------------------------|
| | | 50 lb. capacity, solid state analog knob control with melt cycles, ThreePass™ heat transfer system, electronic ignition, KleenScreen | | |
| | | PLUS® filtration system, twin baskets, stainless steel cabinet & fry | | |
| | | tank, adjustable casters (2 swivel locking & 2 non-locking), 70,000 B | TU | |
| | | CSA, CSA STAR, NSF, ENERGY STAR® | , | |
| | 2 ea | 1 year limited parts & labor warranty, standard | | |
| | 2 ea | 10 year limited tank warranty, standard | | |
| | 2 ea | Natural gas (specify elevation if over 10,000 ft. contact factory) | | |
| | 2 ea | | | |
| | 2 ea | FRYMATE VX15 Frymate™ Holding Station, free standing or add-on | \$1,238.00 | \$2,476.00 |
| | | unit, 15-1/2" wide, 30-1/8" depth, stainless steel cabinet base, | • | 4 = / 1.7 0.00 |
| | | stainless steel top drain section with removable grease collector, se | et | |
| | | of 4 casters (2 locking), connecting strip & hardware included, (for 3 | 5- | |
| | 2 | 65 lb capacity gas or electric fryers) | | |
| | 2 ea | COVER-TANK Stainless steel tank cover/work surface top, for all 35 a | & \$122.00 | \$244.00 |
| | 2 00 | 45 lb. gas fryers & Frymate VX15 | | |
| | z ea | CONNECT-KITVULPF Connecting Kit, securing (2) fryers together with | h \$81.00 | \$162.00 |
| | | grease strip, brackets & hardware included | | |
| _ | 214 | | ITEM TOTAL: | \$21,264.00 |
| | 2 kt | | \$205.00 | \$410.00 |
| | | Dormont Manufacturing Model No. 1675KIT48PS | | |
| | | Dormont Blue Hose™ Moveable Gas Connector Kit, 3/4" inside dia., 4 long, covered with stainless steel braid, coated with blue | 18" | |
| | | antimicrobial PVC, (1) SnapFast® QD, (1) full port valve, (2) 90° elbov | | |
| | | (1) Snap'N Go, (1) pair Safety Set® with hardware mounting options, | vs, | |
| | | limited lifetime warranty | | |
| | | - | TEM TOTAL: | \$410.00 |
| 8 | 1 ea | DISHWASHER, DOOR TYPE | \$12,239.00 | \$12,239.00 |
| | | Hobart Model No. AM15T+BUILDUP | ,, | +==,203100 |
| | | AM Select Tall Dishwasher, door type, 27" H opening, convertible | | |
| | | high/low temperature sanitizing, 58-65 racks/hour capacity, includes | | |
| | | pan rack to accommodate 18" x 26" sheet pans or a 60 quart mixing | | |
| | | bowl. straight-thru/corner installation, stainless steel finish, ENERGY STAR® | , | |
| | 1 ea | SPLASH-PNL15T Splash panel kit, for AM15T (FOR CORNER INSTALLATIONS) | \$93.00 | \$93.00 |
| | 1 ea | Standard warranty - 1-Year parts, labor & travel time during normal working hours within the USA | | |

Initial: _____ Page 7 of 25



| Item | Qty | Description | Seli | Sell Total |
|------|------|--|-------------|------------------|
| | 1 ea | AM15T-ELEOCD 480v/60/3-ph | \$805.00 | \$805.00 |
| | 1 ea | AM15T-BSTYES With electric booster | \$2,089.00 | \$2,089.00 |
| | 1 ea | AM15T-HTEELE Electric heat | +=,000.00 | 72,003.00 |
| | 1 ea | SINGLE-POINT-AM15T Single Point Electrical Connection (factory installed, 3 phase booster machines only) | \$511.00 | \$511.00 |
| | 2 ea | DISHRAK-PEG20 Peg rack | \$61.00 | \$122.00 |
| | 2 ea | DISHRAK-COM20 Combination rack | \$61.00 | \$122.00 |
| | 2 ea | RACK-6PAN 6 pan rack to hold sheet pans (Tall only) | \$233.00 | \$466.00 |
| | | | ITEM TOTAL: | \$16,447.00 |
| К9 | 1 ea | Southwest Insulated Panels | \$27,754.00 | \$27,754.00 |
| | | Walk-in cooler/freezer combo. Overall size 10'-4" x 24'-3" x 9'-6" hig 2-compartment: +35 degree cooler, -10 degree freezer. | h. | |
| | | Exterior finish to be embossed galvalume; Interior finish to be embossed white - aluminum diamond tread freezer floor with 3/4" plywood backing. | | |
| | | 2 and 24% V 75% MALK IN DOOR WERE WELL TO BE A SECOND OF THE PROPERTY OF THE P | | |

2 each 34" X 76" WALK-IN DOOR, WITH HEATER, SAFETY LATCH W/ CYL. LOCK, STANDARD HARDWARE, (1) SPRING LOADED HINGE

Accessories:

2 HEATED PRESSURE RELIEF VENT 82 ft. NSF metal coved base

2 each 4' LED vaporproof light fixtures, shipped loose

1 lot panels to wrap column

1 interior floor ramp

Refrigeration:

1 each 1 HP BCH0010MBACZA0100 MED TEMP. PREASSEMBLED REMOTE STUB-OUT SYSTEM, R-404A, 08-230V/60/1. (WT 230 #)
1 each AS6AMAB0000 BOHN COILS, 115V/60/1.
1 each 2-1/2 HP BCH0025LBACZA0200 LOW. TEMP. PREASSEMBLED REMOTE STUB-OUT SYSTEM, R404A, 208-230V/60/1. (WT 284)
1 each BEL0130BS6EMAB0000 BOHN COIL, 208-230V/60/1.

ITEM TOTAL:

\$27,754.00

Port Arthur Economic Development Corporation

Initial: _____ Page 8 of 25



| ltem | Qty | Description | Sell | Sell Total |
|------|------|---|------------|------------|
| K10 | | Scotsman Model No. C0530MA-1 Prodigy Plus® Ice Maker, cube style, air-cooled, self-contained condenser, production capacity up to 525 lb/24 hours at 70°/50° (380 lb AHRI certified at 90°/70°), medium cube size, AutoAlert™ indicating lights, WaterSense adjustable purge control, one-touch cleaning, harvest assist, front facing removable air filter, unit specific QR code, stainless steel finish, AgION™ antimicrobial protection, 115v/60/1-ph, 15.2 amps, cULus, NSF, CE, engineered and assembled in USA NOTE: Sale of this product must comply with Scotsman's MSRP Policy; contact your Scotsman representative for details 3 year parts & labor warranties | \$2,655.00 | \$5,310.00 |
| | | 5 year parts & labor warranties on Evaporator | | |
| | | 5 year parts on compressor & condenser 3M Purification ICE140-S (5616203) 3M™ Water Filtration Products Water Filter System, with gauge, 14-7/8"H x 5-1/16"D, valve-in-head, standard water, single vessel, 1/4-turn shut off valve, max pressure of 125 psi at 100°F, 0.2 micron, 2.1 gpm flow rate, 25,000 gallons capacity, for cyst, bacteria, sediment, chlorine taste and odor, scale, includes: (1) integral mounting bracket and (1) o-ring seal cartridge filter, 3/8" FNPT connections, NSF (for ice machines -cubers up to 1000lbs, flakers up to 1800lbs: Manitowoc I 0906, 0996, 1002, 1003, 1005, 1072, 1092, Scotsman C 0722, 0830, 1030, Hoshizaki KM 850, 901, Ice-O-Matic ICE 0806, 1006, 1007, Koolaire K 1000; Atosa YR140, YR280, YR450, YR800) (priced per each, packed 2 each per case) | \$250.00 | \$500.00 |
| | 2 ea | B530S Ice Bin, top-hinged front-opening door, 536 lb application capacity, for top-mounted ice maker, 30" width, metallic finish exterior, toolless removable baffle, polyurethane insulation, polyethylene liner, includes 6" legs, NSF, engineered and assembled in USA | \$1,017.00 | \$2,034.00 |
| | 2 ea | 3M Purification ICE140-S (5616203) 3M [™] Water Filtration Products Water Filter System, with gauge, 14-7/8"H x 5-1/16"D, valve-in-head, standard water, single vessel, 1/4-turn shut off valve, max pressure of 125 psi at 100°F, 0.2 micron, 2.1 gpm flow rate, 25,000 gallons capacity, for cyst, bacteria, sediment, chlorine taste and odor, scale, includes: (1) integral mounting bracket and (1) o-ring seal cartridge filter, 3/8" FNPT connections, NSF (for ice machines -cubers up to 1000lbs, flakers up to 1800lbs: Manitowoc I 0906, 0996, 1002, 1003, 1005, 1072, 1092, Scotsman C 0722, 0830, 1030, Hoshizaki KM 850, 901, Ice-O-Matic ICE | \$250.00 | \$500.00 |

Initial: _____ Page 9 of 25



| Item | Qty | Description | Sell | Sell Total |
|-------|-------|---|-------------|-------------|
| | | 0806, 1006, 1007, Koolaire K 1000; Atosa YR140, YR280, YR450, YR800 | | |
| | 2 - | (priced per each, packed 2 each per case) | | |
| | 2 e | a 3 year parts & labor warranties | | |
| 200.4 | | | ITEM TOTAL: | \$8,344.00 |
| K11 | 18 ea | PLANETARY MIXER | \$558.00 | \$10,044.00 |
| | | KitchenAid Commercial Model No. KSM8990DP | | |
| | | KitchenAid® Commercial Stand Mixer, countertop, 8 quart bowl wit | h. | |
| | | lift, PowerCore® technology, commercial attachment power hub, A | SF | |
| | | control panel, stainless steel bowl, dough hook, flat beater, and wir | e | |
| | | whip, speed control protection, dark pewter finish, 500 watts, 1.3 HI 120v/60/1-ph, 4' cord, cULus, NSF | γ, | |
| | 18 ea | Two year replacement warranty from date of purchase, extends to ti | 10 | |
| | | purchaser and any succedding owner Commercial Immersion Blende | ers | |
| | | operated in the 50 United States, the District of Columbia, & Canada standard | , | |
| | | | TEM TOTAL: | \$10,044.00 |
| K12 | 18 ea | WORK TABLE, STAINLESS STEEL TOP | \$844.00 | \$15,192.00 |
| | | Advance Tabco Model No. VSS-244 | | , |
| | | Work Table, 48"W x 24"D, 14 gauge 304 stainless steel top with | | |
| | | countertop non drip edge, adjustable stainless steel undershelf, | | |
| | | stainless steel legs & adjustable bullet feet, NSF | | |
| | 18 st | TA-25S-4 Casters, 5" diameter, set of 4 (2 with brakes) with stainless | \$170.00 | \$3,060.00 |
| | 25 | steel legs for standard working height of 35-1/2" | | |
| | 36 ea | SS-1520 Deluxe Drawer, 15"W x 20"D x 5" deep drawer pan insert, stainless steel, with drawer slides | \$233.00 | \$8,388.00 |
| | 18 pr | TA-90 Drawer Adapter/Non Catalog Tables, specify table width (pair) | | |
| | 20 pi | | | |
| 13 | 2 02 | TWO (2) COMPARTMENT SINK | EM TOTAL: | \$26,640.00 |
| | 2 00 | Advance Tabco Model No. FC-2-2424-24RL | \$1,431.00 | \$2,862.00 |
| | | Fabricated Sink, 2-compartment, 24" right & left drainboards, bowl | | |
| | | size 24" x 24" x 14" deep, 16 gauge 304 stainless steel, tile edge splash | _ | |
| | | rolled edge, 8" OC faucet holes, stainless steel legs with adjustable | 1, | |
| | | side cross-bracing, 1" adjustable stainless steel bullet feet, overall 30 | | |
| | | F/B x 96" L/R, NSF | | |
| | 2 ea | Prerinse faucets | | |
| | 2 ea | K-116 T&S Heavy Duty Pre-Rinse Faucet, 8" OC, splash mounted, | \$517.00 | \$1,034.00 |
| | | includes: spray valve & hose, riser, wall bracket, overhead spring, lead | 1 | ¥±,007.00 |
| | | | | |

Initial: _____ Page 10 of 25



| item | Qty | Description | Sell | Sell Total |
|------|-------|--|---|-------------------|
| | | free | | |
| | 2 ea | K-117-TS Pre-Rinse Add-A-Faucet, 12" swing spout, fits K-115 & K-11 lead free | .6, \$227.00 | \$454.00 |
| | 4 ea | K-40 Lever Drain, all stainless steel, 2" | \$375.00 | \$1,500.00 |
| | 2 ea | K-4 Support Bracket, for lever waste drain handle, (1) support requires for each lever drain | red \$53.00 | |
| | | | ITEM TOTAL: | \$5,956.00 |
| K14 | 4 ea | WORK TABLE, CABINET BASE HINGED DOORS | \$2,236.00 | \$8,944.00 |
| | | Advance Tabco Model No. HK-SS-246 | , | 70,211.00 |
| | | Work Table, 72"W x 24"D, cabinet base with hinged doors, 14 gauge 304 stainless steel top with 5"H backsplash, stainless steel legs with | | |
| | | adjustable hex feet, NSF | | |
| | 12 ea | TA-46 Door lock, one required for each hinge door or for each set of sliding doors | \$123.00 | \$1,476.00 |
| | | | TEM TOTAL: | \$10,420.00 |
| K15 | 1 ea | CLEAN DISHTABLE | \$915.00 | \$915.00 |
| | | Advance Tabco Model No. DTC-S30-48R Dishtable, clean, straight design, attaches to right of dish machine operator, 10-1/2"H backsplash, 3" rolled front & side rims, stainless steel legs & crossrails, 47"W x 30"D x 34"H, 14/304 stainless steel | | |
| | 1 ea | SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here | 0 | |
| | | | TEM TOTAL: | \$915.00 |
| K16 | 1 ea | DISHTABLE, SOILED "L" SHAPED | \$3,506.00 | \$3,506.00 |
| | | Advance Tabco Model No. DTS-K30-144L Korner-Soil Dishtable, L-shaped, attaches to left of dish machine operator, 10-1/2"H backsplash, with pre-rinse sink, stainless steel leg with stainless steel crossrails, 143" long, 14/304 stainless steel, includes prerinse basket with slide bar (slide bar only when K-461 or K-461A disposer adapter is specified) | s, | V 0,000.00 |
| | | SPECIFY DISH MACHINE BRAND & MODEL to ensure proper fit, refer to attached document (AQ only) or consult www.advancetabco.com for compatibility listing. Certain dish machines require modifications at additional cost not shown here | | |
| | 5 ft | DTA-56 Additional drainboard area on machine side (priced per linear | \$89.00 | \$445.00 |

Initial: _____ Page 11 of 25



| ltem | Qty | Description | Sell | Sell Total |
|------|------|--|------------|-------------|
| , | | foot) | | |
| | 1 e | a K-57 Welded field joint (welded in field by others) | \$115.00 | \$115.00 |
| | 1 e | a DTA-78 Notch backsplash return to accommodate dish machine interference (Please specify Dish Machine being used) | \$63.00 | \$63.00 |
| | 3 e | DTA-99E Sink Bowl, 24"W x 24"D x 14" deep, welded into top, (per bowl) (must specify sink location) | \$739.00 | \$2,217.00 |
| | 3 ea | DTA-52 Pre-Rinse Slide Bar, for 24"W x 24"D fabricated sink bowls | \$229.00 | \$687.00 |
| | 3 ea | DTA-59 Pre-Rinse Basket with Slide Bar, for 24"W x 24"D fabricated sink bowls, 18/304 stainless steel | \$387.00 | \$1,161.00 |
| | 1 ea | K-116 T&S Heavy Duty Pre-Rinse Faucet, 8" OC, splash mounted, includes: spray valve & hose, riser, wall bracket, overhead spring, lead free | \$517.00 | \$517.00 |
| | 1 ea | K-117-TS Pre-Rinse Add-A-Faucet, 12" swing spout, fits K-115 & K-116, lead free | \$227.00 | \$227.00 |
| | 2 ea | K-111 T&S Heavy Duty Faucet, 8" OC, splash mounted with 14" swing spout, lead free | \$249.00 | \$498.00 |
| | 4 ea | K-5 Drain, twist operated, 2" NPT & 1-1/2" IPS outlet connections | \$1.14.00 | \$456.00 |
| | 4 ea | K-4 Support Bracket, for lever waste drain handle, (1) support required for each lever drain | \$53.00 | \$212.00 |
| | | TE | M TOTAL: | \$10,104.00 |
| K17 | 2 ea | DEMO MIRROR | \$1,860.00 | \$3,720.00 |
| | | Advance Tabco Model No. MI-48 | | |
| | | Tilting Demo Mirror, ceiling mounted, glass mirror 50-1/2"W x 25- | | |
| | | 1/2"H inside of square tubular stainless steel frame, rainbow uprights for added support, stainless steel, NSF (height dimension must be provided) | | |
| | | | M TOTAL: | \$3,720.00 |
| K18 | 2 ea | WORK TABLE, CABINET BASE OPEN FRONT Advance Tabco Model No. EB-SS-308 Work Table, 96"W x 30"D, open front cabinet base, 14 gauge 304 | \$1,739.00 | \$3,478.00 |
| | | stainless steel top, stainless steel legs with adjustable hex feet, NSF | | |
| | | Hatco HDW-2B Warming Drawer Unit, Built-in, two drawers, includes (1) standard 6" deep food pan per drawer, stainless steel construction, thermostatic controls, NSF, cULus, Made in USA | \$1,887.00 | \$3,774.00 |
| | 2 ea | Hatco NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details | | |
| | 1 ea | Hatco NOTE: Includes 24/7 parts & service assistance, call 800-558-0607 | | |



| Item | Qty | Description | Sell | Sell Total |
|------|--------------|---|----------|------------|
| | 2 ea | Hatco 2-Yr Warranty on drawer warmer heating elements against burnout, standard | | |
| | 2 e a | Hatco 2-Yr Warranty on drawer slides & rollers against breakage, standard | | |
| | 2 ea | Hatco 120v/60/1-ph, 900 watts, 7.5 amps, hardwired (domestic voltage), standard | | |
| | 2 ea | Hatco STANDARD Stainless Steel Drawer Front, standard (available at time of purchase only) | | |
| | 2 ea | Hatco Standard drawer pan | | |
| | 2 ea | Hatco Standard drawer pan | | |
| | | Wells H-706 Hotplate, built-in, electric, 14-3/4" W, two burners, 9" Ø solid cast iron elements, with (2) infinite heat controls, front mounted, recessed control panel, stainless steel drip tray, Wellslok, 3000/4000w, RU, NSF | \$709.00 | \$2,836.00 |
| | 4 ea | Wells 1 year parts and labor warranty, standard | | |
| | 4 ea | Wells Note: Must specify voltage and phase | | |
| | 4 ea | Wells One year warranty on cast iron grates, burners & burner shields, standard | | |
| | 4 ea | Wells 208-240v/60/1-ph or 3-ph, 3.0-4.0kW, field wired (field convertible) | | |
| | 4 ea | TA-34 Top cut-out for drop in equipment (per cut-out) | \$110.00 | \$440.00 |
| | | TA-27 Control Panel for heated well, requires top cut out TA-34 (per linear foot) | \$126.00 | \$1,008.00 |
| | 6 ea | TA-48 12" x 12" cut out for plumbing in back panel or undershelf | \$104.00 | \$624.00 |
| | 6 ft | TA-92 Apron in front of sink or drop in (per linear foot) (note: use TA-27 if control panel mounting is required) | \$73.00 | \$438.00 |
| | 4 ea | TA-62C Electric outlet under top of table or overshelf, GFI, duplex, in single gang box, NEMA 5-20R receptacles, stainless face plate, maximum 120v 20A service (wiring & utility chases or provisions not included) (optional chases and/or wiring by Advance Tabco is available-call for pricing) | \$198.00 | \$792.00 |
| | 2 ea | TA-62E Upgrade electric outlet to NEMA 6-20R or equivalent, maximum 240v 20A service (typically used for 208/240v applications), single receptacle in box, (wiring & utility chases or provisions not included) (optional chases and/or wiring by Advance Tabco is available-call for pricing) (requires TA-62A, TA-62C or TA-62D option) | \$139.00 | \$278.00 |
| | 2 ea | TA-15 Prepare for drawer warmer (warmer by others, specify brand & model), for enclosed base tables only, includes side partition(s) & | \$174.00 | \$348.00 |

Initial: ____ Page 13 of 25



| item | Qty | Description | Sell | Sell Total |
|------|--------------|---|------------|-------------|
| | 2 ea | apron (each) TA-36A-HINGED Hinged Door, 30" maximum width (per door), stainles | s \$200.00 | \$400.00 |
| | 4 ea | TA-42-30 Interior partition, 2-1/2" x 30" (each) | \$92.00 | \$368.00 |
| | | TA-551 Installation of customer-supplied hot food well (requires TA-3 or TA-34A top cut out) | | \$1,424.00 |
| | | TA-550 Installation of drawer warmer. | \$363.00 | \$726.00 |
| | 10 ea | TA-650 NOTE: Complete electrical wiring of this unit is available at additional cost (wiring cost is NOT included in this quote as shown) | \$431.00 | \$4,310.00 |
| | 2 e a | TA-LOAD100 Load Center and labor to a single point connection in field. Approved shop drawing required. | \$3,718.00 | \$7,436.00 |
| | 2 ea | (4) Wells | | |
| | | | M TOTAL: | \$28,680.00 |
| K19 | 2 ea | WORK TABLE, CABINET BASE OPEN FRONT | \$2,809.00 | \$5,618.00 |
| | | Advance Tabco Model No. E8-SS-3612 Work Table, 144"W x 36"D, open front cabinet base, 14 gauge 304 stainless steel top, stainless steel legs with adjustable hex feet, NSF | | |
| | 2 ea | True TSSU-48-12-HC Sandwich/Salad Unit, (12) 1/6 size (4"D) poly pans, stainless steel insulated cover, 11-3/4"D cutting board, (2) full doors, (4) PVC coated adjustable wire shelves, stainless steel top, front, sides, GalFan coated steel back, aluminum interior with stainless steel floor, 5" castors, R290 Hydrocarbon refrigerant, 1/3 HP, 115v/60/1-ph, 5.8 amps, NEMA 5-15P, cULus, UL EPH Classified Made in USA | | \$5,914.00 |
| | 2 ea | True Warranty - 3 year parts and labor, please visit www.Truemfg.com for specifics | | |
| | 4 ea | Hatco GRAHL-48D3 Glo-Ray® Infrared Foodwarmer, 48" W, high wattage, tubular metal heater rod with lights, double heater rod housing 3" spacing, aluminum construction, 2440 watts, NSF, cULus, Made in USA | \$554.00 | \$2,216.00 |
| | 1 ea | Hatco NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details | | |
| | 1 ea | Hatco NOTE: Includes 24/7 parts & service assistance, call 800-558-0607 | | |
| | 2 ea | Hatco One year on-site parts & labor warranty, plus one additional year parts only warranty on all Glo-Ray metal sheathed elements | | |
| | | Hatco 120v/60/1-ph | | |
| | 2 ea | Hatco RMB-7J Remote Control Enclosure, (2) toggle switches, (2) | \$101.00 | \$202.00 |



| Item | Qty | Description | Sell | Sell Total |
|------|--------------|--|---------------|-----------------|
| | | indicator lights (for 208 volt only) | | |
| | 4 ea | Hatco STANDARD Clear Anodized Aluminum housing, standard | | |
| | | (available at time of purchase only) | | |
| | | Hatco LEADS15 11'-15' Extended Electrical Leads (available at time of purchase only) | \$30.00 | \$60.00 |
| | 4 ea | Hatco STANDARD Clear Anodized Aluminum housing, finish, standard (available at time of purchase only) | | |
| | 4 ea | Hatco ADJ ANGLE-D Adjustable angle bracket, (2) pair | \$23.00 | \$92.00 |
| | 1 ea | Hatco NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details | 723.00 | \$ 52.00 |
| | 1 ea | Hatco NOTE: Includes 24/7 parts & service assistance, call 800-558-0607 | | |
| | 1 ea | Hatco STANDARD Clear Anodized Aluminum housing, standard (available at time of purchase only) | | |
| | 2 ea | Hatco HDW-2B Warming Drawer Unit, Built-in, two drawers, includes (1) standard 6" deep food pan per drawer, stainless steel construction, thermostatic controls, NSF, cULus, Made in USA | \$1,887.00 | \$3,774.00 |
| | 1 ea | Hatco NOTE: Sale of this product must comply with Hatco's Minimum Resale Price Policy; consult order acknowledgement for details | | |
| | 1 ea | Hatco NOTE: Includes 24/7 parts & service assistance, call 800-558-0607 | | |
| | 2 ea | Hatco 2-Yr Warranty on drawer warmer heating elements against burnout, standard | | |
| | 2 ea | Hatco 2-Yr Warranty on drawer slides & rollers against breakage, standard | | |
| | 2 ea | Hatco 120v/60/1-ph, 900 watts, 7.5 amps, hardwired (domestic voltage), standard | | |
| | 2 ea | Hatco STANDARD Stainless Steel Drawer Front, standard (available at time of purchase only) | | |
| | 2 ea | Hatco Standard drawer pan | | |
| | | Hatco Standard drawer pan | | |
| | 2 e a | TA-15 Prepare for drawer warmer (warmer by others, specify brand & model), for enclosed base tables only, includes side partition(s) & apron (each) | \$174.00 | \$348.00 |
| | | TA-113 Notch table top for floor-mounted buyout equipment (for open base tables only-with undershelf, must also use TA-40) | \$368.00 | \$736.00 |
| | 2 ea | TA-40 Remove undershelf in cabinet base for slide in buyout | | |
| | 24 ft | TA-135 Plate Shelf, under counter mount, 10" deep, for enclosed base tables without doors only, factory installed, sold (per linear foot) (if | \$116.00 | \$2,784.00 |

Initial: _____ Page 15 of 25



| Item | Qty | Description | Sell | Sell Total |
|------|--------|--|----------------|----------------------|
| | | ordering less than the same number of linear feet as the length of the table, must add TA-42 interior partition) | | |
| | 8 e | a TA-42-30 Interior partition, 2-1/2" x 30" (each) | \$92.00 | \$73¢ 00 |
| | 21 | t TA-55 Remove back panel, on enclosed base | <i>432.</i> 00 | \$736.00 |
| | 6 e | TA-48 12" x 12" cut out for plumbing in back panel or undershelf | \$104.00 | \$624.00 |
| | 4 ea | TA-36A-HINGED Hinged Door, 30" maximum width (per door), stainless steel | \$200.00 | \$800.00 |
| | | (2) Wells | | |
| | | DISW-2-120 Hot Food Well Unit, drop-in, electric, 30-1/2"W x 24-1/2"D x 15-7/16"H (overall), 29-5/8"W x 23-1/2"D (cut out size), (2) 12" x 20" sealed hot food wells with drains (accommodates pan inserts up to 6-1/4" deep), wet or dry operation, remote control panel with individual infinite controls, indicator lights, 18 gauge 304 stainless steel self rimmed top, 20 gauge galvanized body, NSF, UL | \$1,311.00 | \$2,622.00 |
| | 2 ea | TA-34 Top cut-out for drop in equipment (per cut-out) | \$110.00 | \$220.00 |
| | 2 ea | TA-502 Install Advance Tabco-brand drop-in unit work table top (TA-34 top cut out also required), (Hot food units also require TA-27 control panel), (NOTE-most jurisdictions will not allow a stainless drop-in sink in stainless steel countertop-see TA-11 for weld-in sinks), (To install drop-in units not provided by Advance Tabco, consult factory for pricing) | \$239.00 | \$220.00 \$478.00 |
| | 6 ft | TA-27 Control Panel for heated well, requires top cut out TA-34 (per linear foot) | \$126.00 | \$756.00 |
| | 2 ea | 120v/60/1-ph, 18.33 amps, direct wired, standard | | |
| | 2 ea | CU-18-144 Overshelf, single, 144"W x 18"D, 18/430 stainless steel, to span over existing equipment (supplied by others), NSF (must provide equipment model numbers that shelf is going over to clarify mounting provision) | \$1,031.00 | \$2,062.00 |
| | | CU-18-60 Overshelf, single, 60"W x 18"D, 18/430 stainless steel, to span over existing equipment (supplied by others), NSF (must provide equipment model numbers that shelf is going over to clarify mounting provision) | \$655.00 | \$2,620.00 |
| | 2 ea | NOTE: Must specify flat or "L" bracket & equipment unit is being mounted over - Prints required | | |
| | 4 ea | TA-60 Modification to reduce length and/or width of shelf, start with next largest size then add "TA-60" to model number | | |
| | 4 ea ' | TA-71 Heat lamp mounting provision (specify brand & model of heat amp) | \$67.00 | \$268.00 |

Initial: _____ Page 16 of 25



| Item | Qty | Description | Sell | Call Take |
|-------|-------|--|-------------|----------------|
| | 2 e | a TA-550 Installation of Drawer Warmer | | Sell Total |
| | | TA-550 Installation of Heat Lamps | \$363.00 | \$726.00 |
| | 8 e | a TA-650 Wiring of Drop-Ins, Drawer Warmer and Heat Lamps | \$276.00 | \$1,104.00 |
| | 2 e | a TA-LOAD100 Load Center and labor to a single point connection in | \$431.00 | \$3,448.00 |
| | | field. | \$3,561.00 | \$7,122.00 |
| | | Approved shop drawing required. | | |
| | | | ITEM TOTAL: | \$45,330.00 |
| K21 | 1 | t COLD STORAGE SHELVING | | ++5/550.00 |
| | | Metro | | |
| | | 6 sections consisting of: | | |
| | 24 ea | MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 | \$126.00 | \$3,024.00 |
| | | stainless steel corners, removable open grid polymer mats. (4) were | re . | 75,024.00 |
| | | connectors, built in Microban® antimicrobial product protection, 75 | Ō | |
| | 24 | lb. capacity per shelf, NSF | | |
| | 24 ea | MX74P Polymer trilobal post (compatible with MetroMax® i, | \$23.00 | \$552.00 |
| | | MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with | a | |
| | | dolly, adjustable leveling foot, grooved on 1" increments, corrosion proof all polymer construction with built in Microban® antimicrobia | 1 | |
| | | product protection | í | |
| | | | ITEM TOTAL: | \$3,576.00 |
| K21.1 | 1 ea | DUNNAGE RACK | \$129.00 | \$129.00 |
| | | Metro Model No. HP2248PD | , | Q123.00 |
| | | Metro Bow-Tie™ Dunnage Rack, 22" x 48" x 12"H, slotted, with | | |
| | | separate polymer tie for joining racks, corrosion proof polymer | | |
| | | construction, NSF | | |
| K22 | 1 00 | COLD STORAGE SHELVING | TEM TOTAL: | \$129.00 |
| | 1 0 | Metro Metro | | |
| | | 10 sections consisting of: | | |
| | 24 ea | MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 | | |
| | | stainless steel corners, removable open grid polymer mats, (4) wedg | \$108.00 | \$2,592.00 |
| | | connectors, built in Microban® antimicrobial product protection, 1000 | e | |
| | | lb. capacity per shelf, NSF | J | |
| | 16 ea | MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 | \$43C 00 | 40.00.00 |
| | | stainless steel corners, removable open grid polymer mats. (4) wedge | \$126.00 | \$2,016.00 |
| | | connectors, built in Microban® antimicrobial product protection, 750 | - | |
| | | lb. capacity per shelf, NSF | | |
| | | | | |



| \$23.00 i a in ial ITEM TOTAL: \$129.00 ITEM TOTAL: \$2,939.00 | \$920.00 \$ 5,528.00 \$129.00 \$ 5,878.00 |
|--|--|
| \$129.00 ITEM TOTAL: \$2,939.00 | \$129.00 \$129.00 |
| ITEM TOTAL: \$2,939.00 | \$129.00 |
| \$2,939.00 | |
| • | |
| one pan ass cal s), | |
| \$10,859.00 | \$5,878.00 \$21,718.00 |
| e. | es), |

Initial: _____ Page 18 of 25



| Item | Qty | Description | Sell | Sell Total |
|------|--------------|---|----------------------|-------------|
| | | | ITEM TOTAL: | \$21,718.00 |
| K25 | 2 e | REACH-IN REFRIGERATOR | \$12,686.00 | \$25,372.00 |
| | | Traulsen Model No. RHT232NUT-HHS | | |
| | | Spec-Line Refrigerator, Reach-in, two-section, 46.0 cu. ft., self- | | |
| | | contained refrigeration, StayClear™ Condenser, stainless steel exterior and interior, standard depth, narrow half-height door or | | |
| | | doors with Santoprene® EZ-Clean Gaskets, (3) adjustable wire shelv | | |
| | | per section, microprocessor controls, 6" adjustable stainless steel le | es es | |
| | | 5/8 HP, cULus, NSF | gs, | |
| | 2 ea | 115v/60/1-ph, 8.2 amps, with cord & NEMA 5-15P, standard | | |
| | 2 e a | 3 year service/labor, 5 year compressor warranty, standard | | |
| | | Standard refrigerant, standard | | |
| | | Left door hinged left/right hinged right, standard | | |
| | | Additional coated shelf on pins (max 9) | \$71.00 | \$852.00 |
| | 2 st | Casters, 4-5/8" high (set of 4) | \$592.00 | \$1,184.00 |
| | | r | TEM TOTAL: | \$27,408.00 |
| K26 | 1 ea | | | 727,400.00 |
| | | Metro | | |
| | | 4 sections consisting of: | | |
| | 4 ea | MX2460G MetroMax® i Shelf, 60"W x 24"D, reinforced type 304 | \$126.00 | \$504.00 |
| | | stainless steel corners, removable open grid polymer mats, (4) wedg | e | 4001110 |
| | | connectors, built in Microban® antimicrobial product protection, 750 | | |
| | _ | lb. capacity per shelf, NSF | | |
| | 4 ea | TOTAL | \$126.00 | \$504.00 |
| | | stainless steel corners, removable open grid polymer mats, (4) wedge | e | |
| | | connectors, built in Microban® antimicrobial product protection, 750 lb. capacity per shelf, NSF | | |
| | A ea | MX2448G MetroMax® i Shelf, 48"W x 24"D, reinforced type 304 | 4 | |
| | 4 60 | stainless steel corners, removable open grid polymer mats, (4) wedge | \$108.00 | \$432.00 |
| | | connectors, built in Microban® antimicrobial product protection, 1000 | | |
| | | Ib. capacity per shelf, NSF | | |
| | 4 ea | MX2436G MetroMax® i Shelf, 36"W x 24"D, reinforced type 304 | \$88.00 | ¢353.00 |
| | | stainless steel corners, removable open grid polymer mats, (4) wedge | , 1 00.00 | \$352.00 |
| | | connectors, built in Microban® antimicrobial product protection, 1000 | | |
| | | lb. capacity per shelf, NSF | | |
| | 16 ea | MX74P Polymer trilobal post (compatible with MetroMax® i, | \$23.00 | \$368.00 |
| | | MetroMax® 4, MetroMax® Q), 74-3/16"H, for stationary use or with a | | , |
| | | dolly, adjustable leveling foot, grooved on 1" increments, corrosion | | |
| | | | | |

Initial: _____ Page 19 of 25



| Item | Qty | Description | Sell | Sell Total |
|------|------|---|-----------------|------------|
| | | proof all polymer construction with built in Microban® antimicrob product protection | | Jen 10tz |
| - | | | ITEM TOTAL: | \$2,160.00 |
| K27 | 1e | a WORK TABLE, BAKERS TOP Advance Tabco Model No. TBS-304 Bakers Top Work Table, 48"W x 30"D, 1-3/4" thick wood top with 4" splash at rear & both sides, stainless steel legs with cross rails, stainless steel adjustable hex foot, NSF | \$1,131.00 | \$1,131.00 |
| | | Cambro IBS20148 Ingredient Bin, mobile, 21 gallon capacity, molde polyethylene with sliding cover, S-hook on front (scoop NOT included), (4) 3" heavy duty casters (2 front swivel, 2 fixed), with bi securely attached to base plate, white with clear cover. NSF | in | \$696.00 |
| | | Cambro SCP24CW135 Camwear® Scoop, 24 oz., polycarbonate, clear NSF | \$5.00 | \$15.00 |
| | 1 ea | TA-47 Shelf Mounting Bracket, on existing table (per shelf) | \$38.00 | \$38.00 |
| | | 15" wide | | V |
| | | ODS-15-48R Overshelf, table mounted, double, 48"W x 15"D, 1"H requp-turn, 18 gauge 430 stainless steel (non-adjustable, old style) | | \$721.00 |
| | 1 ea | Rear of table shelf location, 1" back splash is provided on table with splash | ı | |
| | | | ITEM TOTAL: | \$2,601.00 |
| K28 | 2 ea | | \$739.00 | \$1,478.00 |
| | | Metro Model No. PR48X4 | | , , |
| | | MetroMax® i Stationary Drying Rack Unit, 48"W x 24"D x 74"H, 4-tier, includes: (4) shelves, (4) 74" posts, (2) cutting board/tray drying rack (2) pan racks, built in Microban® antimicrobial product protection, N. | • | |
| V20 | | | TEM TOTAL: | \$1,478.00 |
| K29 | 1 ea | PLANETARY MIXER Hobart Model No. HL300-1STD 200-240/50/60/3 Mixer; with bowl, beater, & "D" whip; US/EXP configuration - Legacy Planetary Mixer, 3/4 hp, 30 quart capacity, (3) fixed speeds, gear-driven transmission, 15-Minute SmartTimer™, #12 taper attachment hub, manual bowl lift, bowl guard, stainless steel bowl, "B" beater, "D" whip Standard warranty: 1-Year parts, labor & travel time during normal | \$9,792.00 2 | \$9,792.00 |
| | | working hours within the USA | | |
| | т еа | TRUCK-HL4030 Legacy® Mixer Bowl Truck, aluminum, for 30 & 40 quart | \$344.00 | \$344.00 |

Initial: _____ Page 20 of 25



| Item | Qty | Description | Self | Sell Tota |
|-------|------|---|-------------|-------------|
| | | mixers | | |
| | | | ITEM TOTAL: | \$10,136.00 |
| K30 | 1 ea | | \$366.00 | \$366.00 |
| | | T&S Brass Model No. B-0610-60H | * | 4000.0 |
| | | Pot Filler Faucet, wall mount, 8" centers, single control, vacuum | | |
| | | breaker, 68" stainless steel flexible hose, hooked nozzle, quarter-t | urn | |
| | | Eterna cartridge with spring check, lever handle with color indexes | , | |
| | | 1/2" NPT female inlet, chrome-plated brass finish, low lead, NSF, cCSAus | | |
| 1/0.4 | | | ITEM TOTAL: | \$366.00 |
| K31 | 3 ea | FLOOR TROUGH | \$1,295.00 | \$3,885.00 |
| | | Advance Tabco Model No. FFTG-1236 | | |
| | | Floor Trough, 36"W x 12"D x 4" deep, with fiberglass grating, stainle | SS | |
| | | steel removable strainer basket, 4" O.D. waste pipe 3"L, pitched towards waste, NSF | | |
| | | | ITEM TOTAL: | \$3,885.00 |
| (32 | 1 ea | UNDERCOUNTER REFRIGERATOR | \$1,971.00 | \$1,971.00 |
| | | True Manufacturing Co., Inc. Model No. TUC-27-ADA-HC~SPEC3 | | , -, |
| | | SPEC SERIES® Undercounter Refrigerator, 34" working height, 33 - 38 | °F, | |
| | | SPEC Package 3 includes: 16-ga. stainless steel top, (1) heavy-duty | | |
| | | stainless steel door, steel handle, door lock standard, (2) PVC coated | d . | |
| | | adjustable wire shelves, electronic temperature control with digital | | |
| | | temperature display, stainless steel sides & back, stainless steel | | |
| | | interior, 3" castors, R290 Hydrocarbon refrigerant, 1/6 HP, 115v/60/1-ph, 2.0 amps, NEMA 5-15P, cULus, UL EPH Classified, CE, ADA | - | |
| | | Compliant, Made in USA | | |
| | 1 ea | Self-contained refrigeration standard | | |
| | | Warranty - 7 year compressor (self-contained only), please visit | | |
| | | www.Truemfg.com for specifics | | |
| | 1 ea | Warranty - 3 year parts and labor, please visit www.Truemfg.com for | | |
| | | specifics | | |
| | | | TEM TOTAL: | \$1,971.00 |
| 33 | 1 ea | ICED TEA BREWER | \$513.00 | \$513.00 |
| | | BUNN Model No. 36700.0013 | | |
| | | 36700.0013 TB3Q Iced Tea Brewer, 3-gallon capacity single brewer, 26 | .7 | |
| | | gallon/hour, SplashGard® funnel, Quickbrew system (dispensers sold | | |
| | | separately), 120v/60/1-ph, 1730w, 14.4amps, NEMA 5-15P, cord | | |

Initial: _____ Page 21 of 25



| Item | Qty | Description | Sell | Sell Total |
|-------|------|---|----------------|----------------|
| | | attached, UL, NSF | | |
| | 1 e | a Equipment discount category net prices must be rounded to the nearest dollar | | |
| | 1 e | a 34100.0002 34100.0002 TDO-4 Iced Tea/Coffee Dispenser, cylinder | \$65.00 | \$65.00 |
| | | style, 4 gallon capacity (15.1 litres), sump dispense valve, oval shape | | 400.00 |
| | | brew-through plastic lid, faucet handles are labeled sweetened & | | |
| | _ | unsweetened, side handles, NSF | | |
| | 1 ea | a 39000.0007 39000.0007 EQHP-TEA Easy Clear® Water Softening Filter, | \$144.00 | \$144.00 |
| | | high performance, 4,350 grains of hardness reduction, reduced scale | | , |
| | | forming minerals, 1 gpm flow rate, 5 micron, integrated carbon block | , | |
| | | quick connect, includes: head assembly, integral mounting bracket & single cartridge filter | | |
| | | - | | |
| K34 | 1 42 | COFFEE BREWER | EM TOTAL: | \$722.00 |
| 104 | 1 60 | BUNN Model No. 20900.0011 | \$1,651.00 | \$1,651.00 |
| | | | | |
| | | 20900.0011 Dual® Coffee Brewer, Portable, mechanical thermostat, brews 18.9 gallons per hour capacity, stainless steel funnel, 3 batch- | | |
| | | size settings, electronic timer & grinder interface, upper hot water | | |
| | | faucet, variable water bypass, includes (2) GPR servers (20950.0004), 4 | н | |
| | | black adjustable legs, 120/240v/60/1-ph, 6890 watts, 29 amps, UL, NSF | • | |
| | 1 ea | Equipment discount category net prices must be rounded to the | | |
| | | nearest dollar | | |
| | 2 ea | 20950.0004 20950.0004 1.5GPR-FF Coffee Server, 1.5 gallon, top | \$159.00 | \$318.00 |
| | | handles, fast flow faucet, stainless decor, NSF | 4155.00 | 2210.00 |
| | 2 ea | 12203.0010 12203.0010 RWS1 Satellite Brewer Warmer, 4" adjustable | \$83.00 | \$166.00 |
| | | plastic legs (for use with 1GPR and 1.5GPR servers), 120v/60/1-ph. | 40 5.00 | 7100.00 |
| | | 100w, 1 amps, cord attached, UL, NSF | | |
| | 1 ea | 39000.0002 39000.0002 EQHP-25L Easy Clear® High Water System, | \$134.00 | \$134.00 |
| | | 25,000 gallon, reduced sediment, chlorine taste & odor, reduction @ | , | 7-0 1.00 |
| | | 2.1 gpm, equipment protection, scale inhibitors with "L" model, 0.2 | | |
| | | micron, includes: a head assembly, integral mounting bracket and | | |
| | | cartridge filter, Quick Connect, NSF | | |
| LOD . | | | M TOTAL: | \$2,269.00 |
| K35 | 1 ea | FROZEN DRINK MACHINE, NON-CARBONATED, BOWL TYPE | \$2,010.00 | \$2,010.00 |
| | | BUNN Model No. 34000.0013 | | - |
| | | 34000.0013 ULTRA-2 Ultra Gourmet Ice® Frozen Drink Machine, counter | | |
| | | model, (2) 3 gallon hoppers, internally monitored refrigeration | | |
| | | system, touchpad display, reversing auger design freeze time & | | |

Initial: ____ Page 22 of 25



| Item | Qty | Description | Seli | Sell Total |
|------|------|--|---------------------------|------------|
| | | reduces air mixing, flat lid, black decor, cord attached, 120v/60/1-p 12amps, NEMA 5-15P, NSF, ETL | ph, | |
| | 1 e | Equipment discount category net prices must be rounded to the nearest dollar | | |
| | 1 ea | Full 2 year parts, 1 year labor warranty, 3 years parts/labor warranty electronics, 5 years parts and 1-year labor warranty on compressor | y on | |
| | | | ITEM TOTAL: | \$2,010.00 |
| K36 | 1 ea | BEVERAGE DISPENSER, ELECTRIC (HOT) BUNN Model No. SET00.0197 SET00.0197 FMD-3 BLK Fresh Mix Dispenser, (3) 4 lb. hopper, 5.2 gallon/hr capacity, lighted front graphics, high-impact resin door, heavy-duty whipper, adjustable legs & drip tray accommodate 20 or mugs, variable speed hopper motor, black decor, 120v/60/1-ph, 1800w, 152mps, NEMA 5, 150, and other high 1800w, 152mps, NEMA 5, 150, and other high 1800w, 152mps, NEMA 5, 150, and other high 1800w. | \$ 1,28 0.00 z. | \$1,280.00 |
| | 1 ea | 1800w, 15amps, NEMA 5-15P, cord attached, NSF, ETL Equipment discount category net prices must be rounded to the nearest dollar | | |
| | 1 ea | 39000.0004 39000.0004 EQHP-10 Easy Clear® Medium/High Water System, 10,000 gallon, reduced sediment, chlorine taste & odor, 1.5 gpm, equipment protection, 10 micron, includes: a head assembly, integral mounting bracket and cartridge filter, Quick Connect, NSF | \$92.00 | \$92.00 |
| | | | ITEM TOTAL: | \$1,372.00 |
| K37 | | HOT WATER DISPENSER BUNN Model No. 43600.0026 43600.0026 H5X Element Hot Water Dispenser, 5 gallon capacity, digithermostat, 212°F setting, LED display, programmable "Energy Saver Mode", Thinsulate® tank insulation, stainless steel construction, 120v/60/1-ph, 1850 watts, 15.4 amps, UL, NSF Equipment discount category net prices must be rounded to the nearest dollar | \$705.00 tal | \$705.00 |
| | | | | |
| K38 | 1 ea | AIR CURTAIN | TEM TOTAL: | \$705.00 |
| | | Berner Model No. SHD07-2072A Sanitation Certified Series High Performance Air Curtain, 72" long, unheated, (2) 3/4 hp motor, for doors up to 7-feet high, aluminum housing with white finish, indoor or exterior mounting, cULus, UL EPI Classified, MADE IN USA Five year parts warranty (unheated units) | \$1,020.00 | \$1,020.00 |

Initial: ____ Page 23 of 25



| Item | Qty | Description | Seli | Sell Total |
|------|------|--|-------------|---------------|
| | 1 ea | If special freight fees are requested, (See below) all applicable fee will be added to the invoice; fees subject to change; contact factor for addition information. | es y | |
| | 1 ea | A 120v/60/1-ph | | |
| | | 9503SD020-P Automatic Door Switch, plunger type, activates air downen door opens, single phase only & max. amp draw of 20 amps | or \$29.00 | \$58.00 |
| | 1 ea | White powder coat exterior finish standard | | |
| | | | ITEM TOTAL: | \$1,078.00 |
| 11 | 1 ea | SCOPE OF WORK | \$2,326.00 | \$2,326.00 |
| | | 1st Choice Restaurant Equipment & Supply, LLC Model No. WALK-IN VAULT ASSEMBLY | l, | 7-,000 |
| | | Deliver, uncrate and fully erect walk-in panels per approved drawir | igs | |
| | | and manufacture's specifications. | _ | |
| | | * Excludes any Refrigeration, Electrical or Plumbing services. | | |
| 12 | 1.00 | | ITEM TOTAL: | \$2,326.00 |
| LZ | ı ea | INSTALLATION | \$6,090.00 | \$6,090.00 |
| | | 1st Choice Restaurant Equipment & Supply, LLC Model No. REFRIGERATION SYSTEM INSTALL | | |
| | | Run Refrigeration Lines, Hang Evaporator Coils, Mount Condensing Units. all electrical and plumbing connections are by others. | | |
| | | | TEM TOTAL: | \$6,090.00 |
| L3 | 1 ea | SCOPE OF WORK | \$10,000.00 | \$10,000.00 |
| | | 1st Choice Restaurant Equipment & Supply, LLC Model No. DELIVER, UNCRATE, ASSEMBLE, & SET-IN PLACE | • | , ==, |
| | | Equipment to be delivered, uncrated, assembled, located inside the | | |
| | | facility and set-in-place. ALL FINAL UTILITY CONNECTIONS BY OTHERS | i. | |
| | | Packing materials will be disposed. | | |
| | | *Please note customer is responsible for any damage incurred after equipment/goods are set-in place. | | |
| | | | TEM TOTAL: | \$10,000.00 |
| | | Subtot | 3 | \$518,647.00 |
| | | Total | | \$518,647.00 |

Initial: ____ Page 24 of 25



Prices are to provide equipment, deliver, uncrate, assemble and set-in-place to make ready for final utility connections by others.

Prices are valid for acceptance until 12/31/2020.

| Acceptance: | Date: | |
|-----------------------------------|-------|--|
| Printed Name: | • | |
| Project Grand Total: \$518,647.00 | | |